

Index

Names in *italics* are synonyms, casually mentioned hybrids, or plants not established in the flora. Page numbers in **boldface** indicate the primary entry for a taxon. Page numbers in *italics* indicate an illustration. Roman type is used for all other entries, including author names, vernacular names, and accepted scientific names for plants treated as established members of the flora.

- Abies*
balsamea, 101, 576
Acaulon, 480, 604, **637**, 638
megalosporum, 203
muticum, 638, **639**
muticum, 637, **639**
rufescens, 637, 638, **639**
rubrum, 639
rufescens, 639
runyonii, 203
schimperianum, 637, **638**
triquetrum, 638, 639
Acroschisma, 3
Actinothuidium
hookeri, 29
Adamek, W., 39
Adams, J. E., 37
Adderley, L., 21
Adiantum, 334
Aerobacter
aerogenes, 38
Aerobryopsis
subdivergens, 34
Afonina, O. M., 160
Ajello, L., 35
Al-Hasan, R. H., 39
Aligrimmia, 205, 265
Allen, B. H., 34, 333, 343, 356,
376, 377, 381, 386, 404,
427, 452, 453, 470, 482,
552, 624
Allorge, P., 33
Allred, K. W., 354
Alnus, 85
Aloina, 265, 480, 606, **614**, 615
aloides, 615, **616**
ambigua, **616**
bifrons, **615**
brevirostris, 615, **616**, 617
hamulus, 614, 615, **616**
pilifera, 615
rigida, 615, 616, **617**
pilifera, 615
rigida, **617**
Alophosia, 116
Ambuchanania, 3
Amphidium, 521
lapponicum, 496, 521
mougeotii, 496, 521, 522,
580
Anacalypta
starckeana
brachyodus, 629
Anderson, L. E., 107, 132, 137,
181, 184, 189, 191, 193,
197, 237, 244, 245, 247,
252, 256, 257, 306, 310,
339, 340, 343, 346, 348,
351, 367, 376, 378, 379,
380, 381, 382, 390, 391,
404, 416, 442, 449, 453,
455, 457, 458, 461, 463,
464, 465, 482, 484, 491,
501, 502, 511, 514, 516,
525, 537, 576, 583, 592,
598, 599, 638, 652, 658
Ando, H., 15, 22, 23, 29, 30,
33, 34, 37
Andreea, 3, 10, 11, 43, **102**,
103, 108, 109
alpestris, 103, 104
alpina, **103**, 105
baileyi, 105
blyttii, 103, **105**, 106
angustata, 106
obtusifolia, 106
crassinervia, 103, 106, 107
obtusifolia, 106
heinemannii, 103, **106**
buntii, 106
macoumii, 105
megistospora, 103, **106**, 109
epapillosa, 106
mutabilis, 103, **104**
nivalis, 103, **105**
baileyi, 105
obovata, 103, **104**, 105
papillosa, 104
parvifolia, 104
rothii, 103, **106**, 107, 551
crassinervia, 106
falcata, 107
papillosa, 107
rupestris, 103, **104**, 105, 106
acuminata, 104
alpestris, 104
papillosa, 104
sparsifolia, 104
schofieldiana, 103, **107**
sinuosa, 103, **104**
sparsifolia
sublaevis, 104
Andreeaeaceae, 102, 108
Andreeaeales, 109
Andreeaeobryaceae, **108**
Andreeaeobryopsida, 4
Andreeaeobryum, 3, 11, **109**
macrosporum, **109**, *110*
Andreeaeopsida, 4, 10, 42
Andreas, B. K., 390, 413
Andrejeva, E. N., 160
Andrews, A. L., 46, 516, 518,
525
Andrus, R. E., 45, 52, 55, 99,
100
Anictangium
flaccidum, 216
Anisothecium, 386, 387
crispum, 393
grevilleanum, 389
rubrum, 389
schreberianum, 389
elatum, 389
vaginale, 393
varium, 389
Anoetangium, 478, 487, 492,
497, 520, 521, 537, 562
subg. *Erpodium*, 471
subg. *Molendoa*, 561
aestivum, 521, **522**, 537, 564,
578
arizonicum, 536
compactum, 522
domingense, 472
euchloron, 522, 537
handelii, 521, **522**, 523, 537,
538
incurvans, 563
obtusifolium, 563
peckii, 522
sandtnerianum, 563
tenuinerve, 563
stracheyanum, 520, 521, **522**
tenuinerve, 563
Anomobryum, 360
Anomodon, 40
californicus, 581
minor, 29
Anthoceros, 15
Anthocerotophyta, 3
Antitrichia
californica, 34
curtipendula, 29, 34
Aongstroemia, 359, **360**, 361
sect. *Dicranella*, 386
julacea, 362
longipes, **361**, 362
orientalis, 361
Aphanorrhagma, **181**, 195
patens, 195

- serratum, 181, 182, 195
 Archidiaceae, 314
 Archidiales, 314
 Archidium, 10, 314, 315, 318, 463
 alternifolium, 315, 316, 317, 318, 319
 donnellii, 315, 316, 317
 floridanum, 317
 hallii, 315, 317
 minus, 318
 longifolium, 316
 minus, 315, 318, 319
 ohioense, 315, 317, 318
 donnellii, 317
 ravenelii, 319
 tenerrimum, 315, 316, 317, 318, 319
 Arctoa, 359, 362, 363
 anderssonii, 362
 blyttii, 421
 hispidula, 421
 falcata, 422
 fulvella, 362, 363
 anderssonii, 362
 hyperborea, 361, 362, 363
 starkei, 421
 Arnold, F., 18
 Arts, T., 372, 463, 645
 Arzeni, C. B., 21
 Asakawa, Y., 26, 38, 39
 Aschisma, 478, 518, 519
 kansanum, 519, 520
 Asellus
 militaris, 39
 Asplenium, 334
 Asplund, D., 21
 Astoma, 13
 Astomiopsis, 360
 Astomum, 512, 516
 ludovicianum, 516
 muhlenbergianum, 517
 occidentale, 515
 palustre, 461
 phascoides, 516
 Atkinson, T., 23
 Attractylacarpus, 364, 427
 costaricensis, 365
 flagellaceus, 365
 stenocarpus, 365
 Atrichum, 15, 24, 26, 38, 121, 122, 123, 124, 130, 142, 145, 147, 148, 150, 154
 altecristatum, 148, 149, 151, 152, 153, 154
 angustatum, 148, 149, 150, 153
 plurilamellatum, 150
 crispulum, 148, 149, 150, 152, 153, 155
 crispum, 147, 148, 149, 150, 151
 molle, 153
 cylindricum, 148, 149, 153
 flavisetum, 148, 149, 154, 155
 hausknechtii, 154
 leiophyllum, 143
 lescurii, 161
 macmillanii, 150
 oerstedianum, 152, 155
 papillosum, 150
 parallelum, 143
 paraphyllum, 152
 rosulatum, 151
 selwynii, 148, 149, 151, 152
 altecristatum, 153
 tenellum, 148, 149, 150
 undulatum, 24, 25, 38, 131, 148, 149, 151, 152, 154, 155
 alleghehiense, 153
 altecristatum, 153
 attenuatum, 153
 gracilisetum, 154
 hausknechtii, 154
 minus, 154
 selwynii, 151
 xanthopelma, 150
 Aulacomnium, 9
 palustre, 15
 turgidum, 39
 Aulacopilum, 471
 japonicum, 17
 Banerjee, R. D., 35, 38
 Barbella
 determinisii, 34
 pendula, 39
 Barbula, 15, 38, 479, 492, 525, 527, 528, 529, 540, 566, 577, 606, 610
 sect. *Acutae*, 539
 sect. *Agrariae*, 527
 sect. *Aloina*, 614
 sect. *Asteriscium*, 539
 sect. *Barbula*, 529
 sect. *Convolutae*, 529, 532, 533
 sect. *Erythrophyllum*, 565
 sect. *Fallaces*, 539
 sect. *Graciles*, 539
 sect. *Hyogonium*, 529
 sect. *Hyophiladelphus*, 527
 sect. *Platyneuron*, 569
 sect. *Pleurochaete*, 496
 sect. *Revolutae*, 569
 sect. *Rubiginosae*, 539
 sect. *Tortella*, 498
 sect. *Vineales*, 539
 subg. *Erythrophyllum*, 565
 subg. *Hyophiladelphus*, 527
 subsect. *Acutiformes*, 539
 subsect. *Fallaciformes*, 539
 subsect. *Revolutae*, 569
 subsect. *Vinealiformes*, 539
 acuta, 545
 icmadophila, 545
 agraria, 527
 aloides, 616
 ambigua, 616
 amphidiacea, 619
 amplexa, 602
 amplexifolia, 529, 533, 534
 andreaeoides, 550
 anomala, 482
 anserinocapitata, 546
 asperifolia, 560
 aurea, 570
 bakeri, 551
 bolanderi, 602
 bolleana, 529, 533, 534, 560
 brachyphylla, 554
 brevipes, 595
 caespitosa, 501
 cancellata, 533
 carnifolia, 602
 chrysopoda, 532
 circinnulata, 551
 closteri, 531
 convoluta, 529, 530, 533, 535, 560, 575
 commutata, 532
 convoluta, 530, 531, 532
 eustegia, 530, 531, 532, 534
 gallinula, 530, 531, 532
 obtusata, 531
 coreensis, 533
 crimita, 570
 cruegeri, 533
 cylindrica, 551
 ditrichoides, 544
 ehrenbergii, 534
 enderesii, 532
 eustegia, 532
 fallax, 557
 ferruginascens, 567
 ferruginea, 557
 flavipes, 532
 flexifolia, 551
 gigantea, 559
 hamulus, 616
 haringae, 533
 hornschuchiana, 572
 horridifolia, 551
 humilis, 501
 icmadophila, 545
 inaequalifolia, 567
 inclinata, 508
 densa, 509
 indica, 529, 530, 532, 534
 gregaria, 531, 533
 indica, 531, 533
 johansenii, 545
 laterita, 551
 leucostoma, 599
 macrotrichia, 595
 maschalogena, 558
 maxima, 558
 melanocarpa, 552
 michiganensis, 558
 nigrescens, 549
 obtusifolia, 597
 obtusissima, 624
 obtusula, 571
 olivacea, 554
 orizabensis, 529, 530
 papillosissima, 626
 perobtusa, 549
 platyneura, 571
 pringlei, 560
 pseudorigidula, 551
 recurvirostra
 latinervia, 568
 reflexa, 557
 robusta, 558
 replicata, 571
 rigida, 617
 rigidula, 543
 robustifolia, 551
 rubiginosa, 552
 rufofusca, 549
 ruralis, 627
 hirsuta, 626
 semitorta, 551
 sinensis, 623
 spiralis, 571
 sprengelii, 582
 squamifera, 613
 subandreaeoides, 550
 subcylindrica, 551
 subgracilis, 551
 subicmadophila, 552
 tectorum, 554
 tophacea, 560
 tortellifolia, 551
 tortuosa
 fragilifolia, 506
 treleasei, 551
 umbrosa, 547
 unguiculata, 25, 485, 529, 530, 533
 apiculata, 529, 530
 vinealis, 551
 flaccida, 551
 virescens, 551
 waghornei, 544
 whitehouseae, 532, 534
 wollei, 491
 Barbuleae, 519, 525, 578
 Barbuloideae, 477, 478, 519, 527
 Barkman, J. J., 18
 Barlow, P. J., 16
 Barnes, B. V., 15
 Barnes, C., 427
 Barnett, S. E., 35
 Bartholomew-Began, S. E., 3
 Bartleya
 ohioensis, 391
 Bartram, E. B., 498, 570
 Bartramia
 pomiformis, 386
 Bartramiopsis, 122, 123, 124, 151, 161
 lescurii, 160, 161
 Beckett, P. J., 20
 Bednarek-Ochyra, H., 267, 285, 293, 295, 297, 303
 Beaver, J. E., 31
 Begonia, 22
 Belcik, F. P., 38
 Belkin, M., 38
 Bellibarbula, 479, 525, 566
 recurva, 525, 526, 551
 Bellolio-Trucco, G., 414
 Belsky, J., 21
 Benl, G., 30
 Berendsen, W., 333
 Berggren, A., 14
 Bernier, P. Y., 22
 Berthier, J., 4
 Betula
 glandulosa, 83
 Bewley, J. D., 17, 18, 21

- Biernacka, E., 21
 Bijlsma, R., 135
 Bird, C. D., 380
 Birks, H. J. B., 32
 Blake, T. J., 22
 Bland, J. H., 23, 25, 30, 32, 33,
 34, 35, 36, 37, 39, 40
Blasia, 15
 Blindia, 320, 324, 327
 acuta, 324, 326, 327, 363
 Bliss, L. C., 362
 Blockeel, T. L., 631, 635
 Blom, H. H., 207, 211, 216,
 220, 222
 Blomquist, H. L., 12
 Boffey, P. H., 27
 Bogdanov, P. L., 22
 Bond, T. E. T., 25
 Bosley, A., 19
Botrytis
 cinerea, 38
 Boudier, P., 537
 Bowden, W. B., 20
 Bowers, F. D., 391, 393, 454
 Brachydontium, 320, 327
 olympicum, 328
 trichodes, 328
Brachysteleum
 serratum, 308
 Brachytheciaceae, 39
Brachythecium, 29, 33
 riivulare, 14
 rutabulum, 26
 salebrosum, 24, 34
 Brassard, G. R., 165, 220, 346,
 572
 Breen, R. S., 528, 644
 Brewer, W. H., 464
 Briggs, D., 18, 404
 Brinkman, A. H., 14
 Britton, E. G., 465
 Brooks, R. R., 14, 20
 Brothera, 359, 365, 427, 440
 leana, 364, 366
 Brower, E., 39
 Brown, J. L., 20
 Brown, R. T., 22
 Bruchia, 433, 434, 437
 bolanderi, 434, 435
 brevicollis, 436
 brevifolia, 434, 435
 carolinae, 434, 435
 curviseta, 436
 donnellii, 436
 drummondii, 434, 437
 flexuosa, 434, 436
 fusca, 434, 435
 hallii, 434, 435
 longicollis, 435
 palustris, 461
 ravenelii, 434, 435, 436
 mollis, 435
 sullivantii, 436
 texana, 434, 436
 vogesiaca, 434, 435
 Bruchiaaceae, 433
 Bruggeman-Nannenga, M. A.,
 333, 334, 338, 346
 Bryaceae, 360, 645
 Bryales, 108
 Bryan, V. S., 340, 455, 457,
 465, 646, 648, 649, 652
Bryobartramia, 10
Bryobrittonia, 171, 173
 longipes, 171, 172
 pellucida, 171
Bryoerythrophyllum, 479, 525,
 540, 555, 565, 566
 alpigenum, 569
 calcareum, 548
 columbianum, 555, 561, 566
 ferruginascens, 526, 530, 566,
 567, 568
 inaequalifolium, 566, 567
 jamesonii, 569
 recurvifolium, 491
 recurvirostrum, 551, 566,
 567, 568, 569
 aeneum, 569
 brevifolium, 568
 dentatum, 568, 569
 latinerium, 568
 recurvum, 526
 rotundata, 569
Bryomanginia, 360
 Bryoxiphiaceae, 329
Bryoxiphium, 4, 329, 330, 331
 norvegicum, 330
 japonicum, 330
 mexicanum, 330
 norvegicum, 330
Bryum, 12, 15, 30, 37, 447, 467
 argenteum, 17, 18, 19, 24, 25,
 26, 29, 190, 203, 605
 attenuatum, 185
 canescens, 287
 crispatum, 429
 cuneifolium, 591
 ericoides, 291
 flavescens, 384
 flexifolium, 575
 fulvellum, 363
 griffithianum, 117
 heterostichum, 274
 hyperboreum, 363
 nudum, 201
 palustre, 388
 parasiticum, 658
 pseudotriquetrum, 29, 30
 recurvifolium, 491
 rufescens, 390
 vaginale, 393
 Buck, W. R., 3, 4, 12, 361, 433,
 443, 461
Bucklandia, 267
Bucklandiella, 267, 268, 272,
 293
 sect. *Laevifoliae*, 268, 273,
 276
 sect. *Lawtonia*, 268, 278, 279
 sect. *Marginatae*, 268, 270,
 271, 272
 sect. *Sudeticae*, 268, 280
 affinis, 269, 270, 272, 273,
 274, 275, 276, 278, 279,
 284
 afoninae, 269, 271, 272
 brevipes, 269, 281
 emersa, 272
 heterosticha, 249, 253, 270,
 272, 273, 274, 275, 276,
 278, 279, 281, 284
 laeta, 279
 lawtoniae, 270, 279, 284
 macounii, 269, 281, 282, 285
 alpina, 282, 283
 macounii, 282, 283
 microcarpa, 269, 271, 272,
 274, 278, 284, 285
 afoninae, 272
 obesa, 270, 273, 275, 276
 occidentalis, 269, 280, 281,
 283, 284
 pacifica, 269, 273, 275, 276,
 277, 300, 305
 rupestris, 272
 sudetica, 269, 270, 272, 274,
 275, 278, 281, 282, 284,
 285
 kindbergii, 282, 285
 venusta, 269, 270, 272, 273,
 274, 276, 277, 278
 Buell, W. F., 35
 Burch, J., 441
 Burley, J. S., 445, 446, 447, 448
 Burns, R. G., 16
Buxbaumia, 4, 118
 aphylla, 119
 viridis, 120
 foliosa, 163
 indusiata, 119, 120
 minakatae, 117, 119
 subcylindrica, 119
 viridis, 119, 120
 Buxbaumiaceae, 118

 Caballero, A., 530, 532
 Cajander, A. K., 14
Calliergon
 cordifolium, 82
 sarmentosum, 15
Calliergonella
 cuspidata, 80, 101
Calluna
 vulgaris, 22
 Calobryales, 42
 Calymperaceae, 654, 663
Calymperes, 654, 655, 659, 662
 afzelii, 569, 660
 brittoniae, 660
 crispum, 657
 delessertii, 18, 20
 donnellii, 660
 emersum, 660
 erosum, 660, 662
 filigera, 658
 nashii, 661
 palisotii, 660, 661
 palisotii, 661
 richardii, 661
 pallidum, 660, 662
 tenerum, 655, 659, 660, 661,
 662
 edamense, 661
Calymperopsis
 parasitica, 658
 Campbell, E. O., 26
Campthothecium, 38
 arenarium, 21
Campylium
 polygamum, 82
 stellatum, 80, 101
Campylopodiella, 359, 363, 364
 flagellacea, 364, 365
 stenocarpa, 364, 365
Campylopus, 25, 359, 366, 367,
 376, 394, 395, 440
 adustus, 369
 angustiretis, 367, 368, 369,
 372
 arctocarpus, 367, 368
 atrovirens, 367, 369, 371,
 374
 atrovirens, 369
 cucullatifolius, 369
 auricus, 367, 373
 caespiticius, 237
 canadensis, 427
 carolinae, 367, 369, 372
 delicatulus, 368, 369
 donnellii, 368, 375
 flexuosus, 367, 368, 370, 375
 fragilis, 366, 368, 370, 375
 gracilicaulis, 375
 angustiretis, 368
 donnellii, 375
 gracilis, 368, 370, 371
 henrici, 391
 introflexus, 367, 371, 372,
 374, 375
 japonicus, 367, 374
 laevigatus, 247
 leanus, 366
 leucotrichus, 371
 mildei, 371
 oerstedianus, 367, 371
 paradoxus, 367, 370
 pilifer, 367, 371, 372, 374
 pyriformis, 368, 369, 372
 schimperii, 368, 372, 373, 374
 schmidii, 367, 373, 374
 schwarzii, 367, 370
 sinensis, 367, 369, 374
 subleucogaster, 375
 subporodictyon, 376
 subulatus, 368, 373, 374, 375
 schimperii, 372
 sudeticus, 284
 surinamensis, 367, 368, 369,
 370, 371, 372, 375
 angustiretis, 368
 tallulensis, 368, 370, 374,
 375, 376
 subleucogaster, 375
 virginicus, 394
 viridis, 417
 zygodonticarpus, 367, 376
Campylostelium, 266, 306, 307
 saxicola, 301, 307
Candida
 albicans, 37
 Cano, M. J., 560, 587, 599,
 600, 612, 614
 Cantlon, J. E., 362

- Cao, T., 46, 99, 236, 241
 Cardot, J., 404
Carex
aquatilis, 83
bigelowii, 83
fuliginosa, 83
rotundata, 83
 Carpenter, I. W., 30
 Carrión, J. S., 13
 Carter, L. J., 27
 Casares-Gil, A., 530, 532
 Casas de Puig, C., 638
 Case, R. B., 23
Catharinea, 147
crispa, 151
tenella, 150
 Ceratodon, 443, 444, 445, 458
conicus, 445, 447
heterophyllus, 445, 446
purpurascens, 446
purpureus, 15, 377, 445, 446, 557
conicus, 447
heterophyllus, 446
obtusifolius, 446
purpurascens, 446
purpureus, 447
rotundifolius, 446
stenocarpus, 447, 448
xanthopus, 446
stenocarpus, 448
Chamaebryum, 202
Chamaecyparis, 54
 Chamberlain, D. P., 629
 Chapman, S., 27
 Chen, P. C., 463, 525, 545, 566, 569
 Chenia, 480, 631, 633
leptophylla, 634
rhizophylla, 634
Chiloscyphus
polyanthos, 30, 39
Chrystoblastella
chilensis, 383
 Churchill, S. P., 306, 311
Cinclidium, 13
subrotundatum, 83
Cinclidotus
danubicus, 20
Cladonia, 22, 140
Claopodium
crispifolium, 39
 Clarke, C. H., 32
Cleistocarpidium, 443, 444, 460, 461, 463
japonicum, 461
palustre, 460, 461, 463
Climacium, 26
americanum, 30
dendroides, 32
japonicum, 30
 Clymo, R. S., 15, 27
Cnestrum, 376, 377, 378, 381
alpestre, 377, 378, 380
glaucescens, 377, 378
schisti, 377, 381
Codriophorus, 204, 267, 293, 294, 295
 sect. *Codriophorus*, 296
 sect. *Fascicularia*, 296, 302, 303
 subsect. *Fasciformes*, 295, 303
acicularis, 297, 298, 299, 300
aduncooides, 297, 299
aquaticus, 302
corrugatus, 267, 303, 304
depressus, 277, 296, 298, 300
fascicularis, 267, 297, 303, 304, 305
mollis, 297, 298, 299
norrisii, 297, 299, 300
ryszardii, 277, 296, 301
varius, 276, 277, 294, 296, 302, 303, 304, 305
 Comis, D., 40
 Conard, H. S., 15
Conocephalum
conicum, 37
supradecompositum, 17, 38
Conomitrium
hallianum, 344
 Cook, C. D. K., 30
 Corley, M. F. V., 103, 107, 257, 453, 518
 Correns, C. E., 420
Coscinodon, 205, 206, 258, 259, 260, 261, 263
arctolimnius, 259, 261, 262
calyptratus, 259, 260, 262
cribrosus, 259, 260, 261
hartzii, 259, 261, 262
hookeri, 259
persoonii, 261
pilifera, 605
pulvinatus, 261
wrightii, 264
yukonensis, 259, 260
Coscinodontella, 205
Costesia, 202
 Coupal, B., 20, 21
 Cox, R. L., 22
 Crandall-Stotler, B. J., 3, 4
 Cronberg, N., 10, 89
 Crosby, M. R., 3, 34, 440
 Cross, J. R., 22
Crossidium, 265, 480, 602, 606, 607, 611
aberrans, 592, 612
crassinervium, 612, 613
crassinervium, 613, 614
dauidai, 612
desertorum, 613
erosum, 613
griseum, 614
rosei, 612
seriatum, 611, 612
spatulifolium, 612
squamiferum, 612, 613
pottioideum, 613, 614
squamiferum, 613, 614
succulentum, 613
 Crum, H. A., 4, 9, 10, 15, 21, 24, 27, 29, 30, 32, 33, 35, 37, 46, 50, 55, 65, 73, 75, 77, 89, 95, 100, 101, 107, 116, 132, 137, 181, 184, 189, 191, 193, 197, 232, 237, 240, 244, 245, 252, 255, 256, 257, 306, 310, 330, 339, 343, 346, 348, 351, 360, 377, 378, 380, 381, 382, 386, 390, 391, 404, 416, 442, 449, 453, 455, 458, 461, 463, 464, 465, 471, 482, 491, 501, 511, 514, 516, 525, 532, 537, 569, 576, 583, 592, 598, 609, 638, 639, 658
 Crumia, 481, 484, 639, 640
deciduidentata, 592, 640
latifolia, 640, 641
 Crump, D. R., 16
 Crundwell, A. C., 389, 502
Cryptoleptodon
flexuosus, 34
Cynodontium, 359, 376, 377, 378, 381, 383, 384, 425
alpestre, 377, 378, 380, 381
canadense, 389
fallax, 381
flexicaule, 452
glaucescens, 378, 379, 380, 381
gracilescens, 376, 378, 379, 380, 381
hyperboreum, 363
jenneri, 377, 378, 379, 382
polycarpon, 378, 379, 381, 382
fallax, 382
polycarpum
laxirete, 379
tenellum, 381
schisti, 377, 378, 379, 380, 381
strumiferum, 382
strumulosum, 378, 379, 380
tenellum, 378, 380, 381
torquescens, 381
Cynontodium
capillaceum, 449
inclinatum, 449
 D'Alessio, D. J., 35
 D'Hennezel, F., 21
Dactylhymenium, 539
pringlei, 560
 Dale, T. M., 19
 Daniels, R. E., 46
 Davidson, A. J., 26
 Davison, P. G., 42, 343
Dawsonia, 159
grandis, 30
 de Sloover, J. L., 610
 Deguchi, H., 207, 254, 261, 454
 Delgadillo M., C., 611, 614
Dendroalsia
abietina, 34
Dendropogonella
rufescens, 25
 Derda, G., 125, 132, 137
Dermatodon
cernuus, 601
Desmatodon, 586, 596, 597, 599
arenaceus, 597
californicus, 602
coloradensis, 597
convolutus, 555, 602
ellesmerensis, 571
fisherae, 596
garberi, 582
guepinii, 599
heimii, 636
arcticus, 636
hendersonii, 560
latifolius, 598, 599
muticus, 598
laureri, 601
leucostoma, 599
obtusifolius, 597
plinthobius, 596
porteri, 596
randii, 601
stomatodontus, 584
suberectus, 599
systilius, 599
 Dichodontium, 359, 377, 382, 383, 384, 585
brasiliense, 383
canadense, 389
flavescens, 383, 384, 385
integrum, 384
nelsonii, 386
olympicum, 377, 384, 385
pellucidum, 381, 383, 384, 385, 386, 564, 575, 585
americanum, 384
fagimontanum, 384
pellucidum, 386
yezoense, 386
subflavescens, 384
 Dickson, J. H., 29, 32, 34
 Dicranaceae, 12, 39, 331, 358, 360, 426, 427, 433, 440, 443, 444, 548, 564
 Dicranales, 468
 Dicranella, 359, 383, 386, 387, 421, 423
 subg. *Anisothecium*, 386
 subg. *Dicranella*, 386, 387
 subg. *Microdus*, 386, 387
canadense, 389
cerviculata, 387, 391
americana, 391
pusilla, 391
crispa, 387, 393
curvata, 392
missourica, 393
fitzgeraldii, 391
grevilleana, 389
herminieri, 390
heteromalla, 17, 18, 23, 363, 387, 391, 395
latinervis, 391
orthocarpa, 391
hilariana, 387, 390
howei, 389
hutchinsonii, 390
langloisii, 389
laxiretis, 390
leptotrichoides, 390
lindigiana, 387, 388
ohioensis, 391

- Dicranella (*continued*)
pacifica, 387, 388, 390
palustris, 383, 387, 388, 389
polaris, 391
pusilla, 391
rubra, 389
rufescens, 387, 390
schreberi, 389
 elata, 389
 grevilleana, 389
 occidentalis, 389
 robusta, 389
schreberiana, 383, 387, 388, 389
 robusta, 388, 389
secunda, 392
sphaerocarpa, 387
squarrosa, 388
staphylina, 390
stickinensis, 392
stikinensis, 392
subulata, 387, 392, 393
 curvata, 392
 varia, 387, 389, 390
 Dicranodontium, 359, 376, 393, 394, 395
 asperulum, 394, 395
 denudatum, 392, 394, 395
 millspaughii, 395
 sinense, 374
 subporodictyon, 395, 420
 uncinatum, 394
 virginicum, 395
 Dicranoweisia, 17, 359, 376, 377, 395, 396, 421
 cirrata, 396, 397
 contermina, 396
 crispula, 396, 397
 compacta, 396
 roellii, 396
 Dicranowesia
 crispula, 252
 Dicranum, 9, 10, 26, 32, 33, 38, 359, 360, 362, 386, 397, 398, 405, 406, 411, 420, 421, 423, 427, 440
 sect. *Arctoa*, 362
 sect. *Dicranum*, 411
 sect. *Falcata*, 420
 sect. *Oncophorus*, 423
 subg. *Paraleucobrym*, 324
 aciculare, 297
 acutifolium, 400, 401, 410, 411, 413
 albicans, 428
 albidum, 441
 alpestre, 380
 ambiguum, 439
 angustirete, 368
 angustum, 414
 arcticum, 423
 arctocarpum, 368
 asperulum, 394
 bergeri, 406
 acutifolium, 411
 blyttii, 421
 bonjeanii, 399, 404, 405
 brevifolium, 400, 401, 408, 410, 411
 cerviculatum, 391
 condensatum, 401, 408, 409, 410
 crassifolium, 411
 crispum, 393
 denudatum, 395
 donnellii, 375
 drummondii, 401, 407, 408, 409
 elatum, 408
 elongatum, 32, 400, 415, 416
 enerve, 428
 falcatum, 422
 flagellaceum, 365
 flagellare, 398, 400, 406, 419, 420
 minutissimum, 419
 flexicaule, 413
 flexuosum, 370
 fragile, 370
 fragilifolium, 398, 399, 416, 417, 418, 420
 fulvellum, 363
 fulvum, 395, 398, 400, 406, 411, 414, 417, 418
 viride, 417
 fuscescens, 400, 410, 411, 412, 414, 417
 congestum, 411
 flexicaule, 412, 413
 fuscescens, 412, 413
 pallidista, 413
 glaciale, 423
 glaucum, 442
 gracile, 370
 gracilescens, 380
 groenlandicum, 399, 400, 414, 416
 heteromallum, 391
 hilarianum, 390
 howellii, 399, 403, 404
 hyperboreum, 363
 introflexum, 371
 julaceum, 361
 laevidens, 414
 latifolium, 402, 403
 leioneuron, 399, 404, 405
 longifolium, 427
 majus, 399, 403, 405
 majus, 405, 406
 orthophyllum, 405, 406
 molle, 423
 montanum, 398, 400, 406, 418, 419, 420
 muehlenbeckii, 400, 410, 412, 414
 brevifolium, 410
 oerstedianum, 371
 ontariense, 401, 407, 408, 409
 orthocarpum, 391
 ovale, 244
 pallidisetum, 400, 413, 414
 pellucidum, 384
 polysetum, 399, 401, 402, 403, 407
 purpurascens, 447
 purpureum, 446
 pusillum, 391
 pyriforme, 372
 rhabdocarpum, 398, 399, 406
 robustum, 408
 rugosum, 401
 sabuletorum, 409
 sauteri, 427
 saxicola, 307
 schmidii, 373
 schreberianum, 389
 scoparium, 22, 23, 30, 38, 399, 402, 403, 404, 411
 serratum, 427
 sinense, 374
 spadiceum, 399, 414
 spurium, 401, 409, 410
 starkei, 421
 strictum, 406, 418
 subporodictyon, 420
 subulatum, 392
 sulcatum, 412, 413
 tauricum, 398, 399, 417, 418, 420
 undulatum, 401, 406, 407, 408
 varium, 389
 virens, 424
 virginicum, 394
 viride, 398, 399, 406, 417, 418, 420
 Didymodon, 9, 447, 479, 528, 529, 539, 540, 547, 564, 566, 577, 580
 sect. *Asteriscium*, 539
 sect. *Fallaces*, 539
 sect. *Graciles*, 539
 sect. *Vineales*, 539
 subg. *Erythrophyllum*, 565
 acutus, 545
 ditrichoides, 544
 icmadophilus, 545
 anserinocapitatus, 540, 546, 547
 arcticus, 492
 asperifolius, 542, 545, 549, 557, 560, 561, 568
 australasiae, 539, 543, 547, 555, 561
 umbrosus, 547
 bistratosus, 543, 559, 561
 brachyphyllus, 538, 542, 548, 553, 554, 555, 572
 columbianus, 566
 cordatus, 555
 crenulatus, 429
 cylindricus
 gemmiparus, 491
 diaphanobasis, 547
 eckeliae, 540, 542, 552
 fallax, 541, 545, 557, 558, 560, 580
 reflexus, 557
 ferrugineus, 541, 557, 560, 581
 fragilis, 507
 fuscoviridis, 544
 gaochenii, 556
 giganteus, 539, 541, 559, 560, 580
 hedysarifformis, 556
 homomallus, 453
 icmadophilus, 545
 incrassatolimbatus, 552
 jenneri, 379
 johansenii, 540, 545, 546, 547
 leskeoides, 541, 545, 556, 558
 linearis, 454
 luridus, 554, 555
 maschalogenae, 541, 558
 maximus, 541, 557, 558, 559, 560
 mexicanus
 subulatus, 544
 michiganensis, 558
 murrayae, 540, 556
 nevadensis, 539, 542, 547, 553, 555, 572
 nicholsonii, 542, 553, 554, 560, 561
 nigrescens, 110, 541, 546, 549, 558, 581
 norrisii, 541, 546, 547, 548, 549
 occidentalis, 552
 perobtusus, 541, 542, 548, 549, 550
 pusillum, 455
 recurvirostrum, 568
 dentatus, 568
 reedii, 554
 revolutus, 539, 542, 543, 547, 548, 549, 554, 567
 rigidicaulis, 557
 rigidulus, 540, 542, 543, 551, 553, 554
 ditrichoides, 544, 545, 558
 gracilis, 543, 544, 545
 icmadophilus, 542, 544, 545, 546, 547
 rigidulus, 543, 544, 545
 subulatus, 538, 543, 544, 561
 rufus, 560
 sicculus, 560
 sinuosus, 553, 556
 spadiceus, 557
 subandreaeoides, 110, 541, 549, 550, 551
 tectorum, 542, 544, 553, 554, 555
 tophaceus, 534, 541, 550, 554, 560
 trifarius, 554
 umbrosus, 539, 543, 547, 548
 vaginatus, 431
 vinealis, 495, 526, 538, 542, 543, 544, 547, 551, 552, 553, 554, 555, 557, 566, 568
 brachyphyllus, 554
 flaccidus, 551, 552
 nicholsonii, 553
 rubiginosus, 551, 552
 vinealis, 551, 552
 wollei, 491
 Dierssen, K., 15
 Dilks, T. J. K., 21

- Dillenius, J. J., 33, 35
 Diphysciaceae, 162, 314
 Diphyscium, 162, 163
 cumberlandianum, 163
 foliosum, 163, 164
 involutum, 163
 mucronifolium, 163, 164
Diplophyllum, 331
 albicans, 38
 taxifolium, 38
 Disceliaceae, 200
 Discelium, 200
 nudum, 201
 Distichium, 443, 444, 448
 capillaceum, 448, 449
 curvatum, 448
 hagenii, 448, 449
 inclinatum, 446, 448, 449
 hagenii, 449
 Ditrichaceae, 360, 377, 383,
 433, 443, 444, 467
 Ditrichum, 443, 444, 450, 457,
 463, 467
 ambiguum, 451, 452, 456,
 458
 boreale, 460
 crinale, 453
 crispatissimum, 395, 453
 currituckii, 455
 cylindricum, 459
 difficile, 455
 flexicaule, 395, 450, 452,
 453, 557
 giganteum, 453
 gracile, 450, 453
 henryi, 456
 heteromallum, 451, 453, 454,
 455
 homomallum, 453
 lineare, 450, 454
 montanum, 451, 452, 454,
 455
 pallidum, 395, 451, 455, 456,
 457
 pusillum, 450, 454, 455, 456
 rhynchostegium, 451, 455,
 456, 457
 schimperii, 451, 456, 457
 tortile, 455
 tortuloides, 451, 452, 456,
 457, 458
 vaginans, 454
 zonatum, 453, 454
 scabrifolium, 453, 454
 Dixon, H. N., 489
 Doebbele, P., 39
Drepanocladus, 20
 exannulatus, 92
 Drlica, K., 26, 28, 29
Drummondia, 3, 13
Dryptodon, 205, 225, 241, 256
 subg. *Ellipticodryptodon*, 267
 atratus, 241
 elongatus, 236
 jacuticus, 272
 patens, 256
 Duckett, J. G., 653
Dumortiera
 hirsuta, 37
 leibergii, 188
 planoconvexus, 184, 186
 rubiginosus, 183, 188
 rubrisetus, 182, 184, 186, 187
 sonorae, 184, 185, 186
 spatulifolius, 188
 templetonii, 185
 tucsonii, 183, 187
 wigginsii, 183, 185
Eopolytrichum, 122, 134
 Ephemeraceae, 646, 653
Ephemerella
 readeri, 195
Ephemerum, 647, 648, 649,
 650, 653
 cohaerens, 650, 651
 flotowianum, 650
 crassinervium, 650, 651, 652
 crassinervium, 652, 653
 papillosum, 652
 texanum, 652
 megalosporum, 649
 serratum, 647, 650, 653
 minutissimum, 650
 sessile, 652
 spinulosum, 650, 652, 653
 hystrix, 652
 texanum, 652
 synoicum, 648
 wrightii, 649
 Epstein, B., 27
 Equihua, M., 22
 Erdman, J. A., 20
Eriophorum, 70
 vaginatum, 83
 Ernst-Schwarzenbach, M., 13
 Erpodiaceae, 470, 474
Erpodium, 470, 471, 472
 acrifolium, 469, 471, 472
 beccarii, 471, 472
 biseriatum, 473
 cubense, 472
 domingense, 471, 472, 473
 sinense, 474
Escherichia
 coli, 38
Eucladium, 478, 486, 487, 488,
 578
 tribe *Pleuroweisiae*, 486
 irroratum, 486
 verticillatum, 487, 560, 578
Eurhynchium
 striatum, 29
 Eversman, S., 414
Fabronia
 matsumurae, 17
 Farnham, R. S., 20
 Ferguson, P., 18
 Fischer, W., 20
 Fissidens, 4, 7, 37, 330, 331,
 332, 333, 334, 354, 356,
 357
 sect. *Amblyothallia*, 334, 338
 sect. *Crispidium*, 334
 sect. *Fissidens*, 334
 sect. *Pachyfissidens*, 334
 sect. *Sarawakia*, 334
 subg. *Aloma*, 334
 subg. *Fissidens*, 334
 subg. *Octodiceras*, 334
 subg. *Pachyfissidens*, 334, 338
 adianthoides, 333, 334, 335,
 339, 340
 immarginatus, 339
 semicristatus, 340
 allenianus, 338
 amoenus, 332, 333, 335, 337,
 346, 348, 354
 andersonii, 345
 angustifolius, 356
 aphelotaxifolius, 335, 342,
 343
 appalachensis, 332, 336, 344
 arcticus, 332, 336, 337, 346,
 347
 asplenioides, 332, 333, 334,
 335, 337, 338, 339
 austinii, 348
 bryoides, 332, 336, 337, 344,
 345, 346, 348, 350
 incurvus, 345
 pusillus, 345
 bushii, 334, 341, 342
 clebschii, 341
 closteri, 332, 335, 356
 closteri, 356, 357
 kiusiuensis, 357
 crassipes, 20
 crispus, 332, 336, 349, 355
 cristatus, 340
 winsonensis, 340
 curvatus, 332, 336, 347
 debilis, 343
 decipiens
 winsonensis, 340
 domellii, 351
 dubius, 333, 335, 340
 elegans, 333, 334, 337, 350,
 351
 exiguus, 345, 346
 falcatulus, 345
 exilis, 332, 333, 335, 355,
 356
 floridanus, 340
 fontanus, 333, 334, 343, 344
 garberi, 350
 grandifrons, 334, 343
 hallianus, 333, 334, 337, 343,
 344
 hallii, 348
 hyalinus, 332, 333, 334, 357
 inaequalis, 355
 julianus, 343
 kegelianus, 356
 kochii, 352
 leptophyllum, 333, 337, 352,
 353
 limbatus, 349
 brevifolius, 349
 ensififormis, 349
 littlei, 334, 354
 manateensis, 344
 milobakeri, 347
 minutulus, 332, 336, 349,
 350
 minutus, 350
 neonii, 347

- Fissidens* (*continued*)
obtusifolius, 332, 335, 336, 337, 348
apiculatus, 349
kansanus, 348
marginatus, 348
orcuttii, 348
osmundioides, 334, 335, 340
pallidinervis, 333, 334, 337, 350, 351
pauperculus, 335, 354, 355
pellucidus, 333, 335, 353
pellucidus, 353, 354
polycarpus, 381
polypodioides, 334, 335, 339
pulvinatus, 255
pusillus, 345
brevifolius, 349
radicans, 339
ravenelii, 350
reesei, 353
repandus, 349
rigidulus, 345
santa-clarensis, 335, 338, 339
scalaris, 332, 336, 347, 348
serratus, 332, 333, 334, 337, 351, 352
leptochaete, 352
serratus, 351
strumifer, 382
subbasilaris, 335, 342
bushii, 342
subcrenatus, 353
sublimbatus, 332, 336, 337, 348, 349
submarginatus, 333, 337, 352, 353
synoicous, 345
taxifolius, 333, 334, 340, 341, 342, 343
taylorii, 332, 336, 347
texanus, 345
teysmannianus, 342
tortilis, 349
ventricosus, 332, 333, 336, 341, 345
viridulus, 345
pusillus, 345
tamarindifolius, 345
texanus, 345
yucatanensis, 356
zollingeri, 332, 336, 355, 356
- Fissidentaceae, 9, 331
 Flatberg, K. I., 46, 49, 52, 72, 74, 78, 99
 Fleischer, M., 663
Floribundaria
floribunda, 29
 Florschütz, P. A., 355
 Flowers, S., 37, 194, 212, 214, 215, 389, 414, 418, 490, 511, 554, 555, 579, 607, 608, 636, 640
Fontinalis, 4, 15, 20, 29, 61
antipyretica, 20, 29, 30, 39
 Forman, R. T. T., 39, 112
 Frahm, J.-P., 20, 363, 364, 365, 366, 372, 374, 375, 383, 384, 427, 534, 558
- Frankel, D. F., 35
 Frankel, E. H., 35
 Freckmann, S. K., 391, 393, 454
 French, J. C., 10
 Frey, W., 4
 Frisvoll, A. A., 285, 346, 453
Frullania, 39
monocera, 38
musciola, 17
tamarisci, 38
 Frye, T. C., 34, 148, 151, 249
Fuchsia, 22
 Fukushima, T., 25
 Funaria, 10, 11, 12, 13, 181, 188, 189, 192, 193, 203
americana, 189, 193
apiculatopilosa, 189, 192, 193
arctica, 189, 192, 193
attenuata, 185
bolanderi, 186
calcareo, 194
californica, 185
calvescens, 191
convoluta, 191
drummondii, 184
fascicularis, 188
flavicans, 190
flaviseta, 191
groutiana, 192
hygrometrica, 15, 25, 189, 190, 191
arctica, 192
calvescens, 191
hygrometrica, 191
patula, 191
utahensis, 191
mediterranea, 194
microstoma, 190, 191
obtusifolia, 192
muhlenbergii, 189, 193, 194
orcuttii, 193
planoconvexa, 186
polaris, 190, 191, 192, 193
rubiginosa, 188
rubriseta, 186
serrata, 189, 194
sonorae, 185
templetonii, 185
tucsonii, 187
 Funariaceae, 180, 195, 199
 Funariales, 13, 116
- Gagnon, Z. E., 19
 Gallego, M. T., 587, 621, 624
 Gams, H., 605
 Gangulee, H. C., 362, 394, 430
 Gao, C., 361, 384
 Gates, F. C., 22
Geheebia, 539
gigantea, 559
 Gehrke, C., 19
Geocalyx
graveolens, 37
Georgia, 111
browniana, 114
geniculata, 112
pellucida, 112
trachypoda, 113
- Gerritson, W., 25
 Gigaspermaceae, 202
Gigaspermum, 202
 Gilbert, O. L., 17, 18
 Gillis, C., 24
 Glime, J. M., 14, 15, 20, 22, 27, 33
Globulina
globifera, 606
Globulinella, 480, 605, 606
globifera, 604, 606, 643
Glossadelphus
zollingeri, 30
Glyphomitrium
canadense, 310
daviesii, 310
humillium, 17
sinense, 308
 Goebel, K., 12
 Goffinet, B., 3, 4, 12, 181, 194, 199, 443, 444, 468
 Gordon, A. G., 16
 Gorham, E., 16
 Granhall, U., 16
 Gresson, J. E., 31
 Greven, H. C., 19, 225, 234, 236, 238, 240, 245, 246, 250, 252, 257
 Griffin, D. G., 474
 Grimmia, 205, 206, 224, 225, 226, 238, 241, 242, 248, 249, 252, 253, 256, 257, 258, 259, 265, 554, 573, 580
 sect. *Racomitrium*, 293
 sect. *Scouleria*, 312
 subg. *Gasterogrimmia*, 226, 231, 232, 233
 subg. *Guembelia*, 226, 229, 233, 241, 248, 258
 subg. *Litoneuron*, 226, 228, 233, 242, 243, 244, 246, 258
 subg. *Rhabdogrimmia*, 226, 227, 241, 244, 247, 248
 subg. *Scouleria*, 312
 (subg. undetermined), 257
acicularis, 297
affinis, 239, 259
agassizii, 211
alpestris, 229, 230, 234, 235, 236, 237, 238, 245
caespiticia, 237
holzingeri, 237, 238
manniae, 237
alpicola, 211
rivularis, 222
americana, 224, 226, 231, 232
ancistrodes, 253
andreaeoides, 550
anodon, 226, 231, 232, 235
anomala, 231
anomala, 227, 247, 248, 251, 258
apocarpa, 211, 215
arctolimbia, 261
arctophila, 233
labradorica, 239
- arcuatifolia*, 249, 253
arizonae, 230, 235, 240, 241, 245
asperitricha, 238
atrata, 227, 230, 233, 241, 242, 256
atricha, 212
atrofusca, 213
atrovirens, 602
attenuata, 206, 228, 247, 248, 249
austinii, 244
austrofunalis, 257
bernoullii, 245
brachydon, 233
brandegeei, 231
brevirostris, 243
brittoniae, *frontispiece*, 227, 248, 250
caespiticia, 229, 234, 237, 238, 251, 258
californica, 253
calvescens, 251
calyptrata, 259
canadensis, 253
canescens, 287
ericoides, 291
catalinensis, 239
mutica, 239
cinclidodontea, 214
cinclidontea, 554
cognata, 250
columbica, 259
commutata, 244
conferta, 214
cribrosa, 261
crinitoleucophaea, 226, 231, 232, 233, 247
curvata, 256
curvifolia, 252
decipiens, 253
hendersonii, 255
donniana, 228, 229, 234, 236, 237, 252
alpestris, 234
drummondii, 309
dupretii, 216
elata, 239
elator, 230, 247, 249, 250, 251, 256
elongata, 227, 236, 238, 251
evansii, 257
flaccida, 216
flettii, 253
flexipilis, 217
fragilis, 243
funalis, 229, 230, 247, 250, 251
glauca, 247
grandis, 250
grisea, 238
hamulosa, 228, 242, 243, 244, 544
hartmanii, 227, 248, 251, 256, 258
anomala, 248
hermannii, 254
heterophylla, 219

- heterosticha*, 274
 [unranked] *affinis*, 274
imberbis, 251
incurva, 228, 248, 252
indianensis, 255
jacutica, 252, 253
jamesii, 233
laevigata, 219, 228, 243, 244,
 245, 247
leibergii, 206, 228, 249, 251,
 252, 253, 272
lesherae, 227, 248
leucophaea, 247
lipiputanum, 220
lisae, 227, 228, 249, 253,
 254, 257
longirostris, 230, 239, 240,
 241, 245, 259, 260
manniae, 237
mariniana, 229, 233, 234,
 235, 245, 258
maritima, 220
mollis, 226, 257
montana, 230, 233, 234, 235,
 236, 237, 243, 244, 245
 brachydon, 233
moxleyi, 227, 253, 254
muehlenbeckii, 228, 254, 257,
 258
nevadensis, 229, 235, 242,
 245, 246, 258
nevii, 297
nivalis, 237, 238
occidentalis, 221
olneyi, 229, 243, 244,
 245
olympica, 328
orbicularis, 227, 250, 254,
 255
ortholoma, 239
ovalis, 229, 233, 239, 240,
 244, 245, 247
 affinis, 239
ovata, 244
 affinis, 239
 gracilis, 244
ovateiformis, 239
pachyneurula, 248
pachyphylla, 252
pacifica, 214
panschii, 288
papillosa, 250
pellucida, 256
pensylvanica, 241
philibertiana, 248
pilifera, 230, 235, 240, 241,
 245, 251
plagiopodia, 226, 231, 232,
 233
platyphylla, 222
prolifera, 256
pseudotorquata, 256
pulvinata, 17, 227, 255
 africana, 255
pyrenaica, 237, 238
ramondii, 227, 256
raui, 263
recurvata, 325
redunca, 236
 reflexidens, 227, 235, 237,
 238, 239
 rivularis, 222
 robusta, 222
 ryanii, 251
 santaritae, 240
 sarcocalyx, 247
 schisti, 381
 serrana, 228, 246, 247, 258
 serrata, 256
 sessitana, 228, 229, 230, 234,
 236, 237, 238
 shastae, 229, 258
 shastai, 258
 speciosa, 304
 spiralis, 251
 stricta, 223
 subanodon, 231
 subcurvula, 255
 subpapillinervis, 237
 tenella, 233
 tenera, 224
 tenerrima, 237
 teretinervis, 229, 238, 239
 tergestina, 233, 258
 poecilostoma, 232
 torngakiana, 252
 torquata, 227, 247, 256, 258
 tortifolia, 256
 trichodon, 225
 trichophylla, 227, 228, 254,
 255, 257, 258
 indianensis, 255
 tenuis, 254
 unicolor, 228, 243, 244
 varia, 304
 Grimmiaceae, 39, 204, 205,
 231, 265, 266, 286, 294,
 306, 615
 subfam. Grimmiioideae, 205,
 206
 subfam. Ptychomitrioideae,
 266
 subfam. Racomitrioideae,
 205, 206, 266
 Grimmiioideae, 205, 206
 Grosse-Brauckmann, G., 14
 Grossnickle, S. C., 22
 Grout, A. J., 23, 24, 119, 188,
 343, 360, 388, 393, 424,
 453, 465, 585, 639, 640,
 652, 653
Guembelia, 205, 233
 tenella, 233
 Guerra, J., 587
 Gulabani, A., 37
 Gupta, K. G., 38
 Gupta, R. K., 21
Gymnomitrium, 43
Gymnostomiella, 477, 480, 609,
 610
 orcuttii, 610, 611
 vernicosa, 610
Gymnostomum, 479, 487, 496,
 521, 522, 524, 534, 535,
 537, 577, 578
 subg. *Physcomitrium*, 196
 aeruginosum, 524, 530, 535,
 536, 537, 564, 578, 580
 aestivum, 522
 barbula, 642
 boreale, 537
 calcareum, 524, 525, 535,
 537, 538, 592
 clintonii, 536
 conicum, 630
 davallianum, 629
 donnianum, 324
 fasciculare, 188
 griffithianum, 117
 heimii, 636
 intermedium, 598
 involutum, 585
 latifolium, 197
 mosis, 538
 obtusifolium, 636
 ovatum, 608
 pennum, 475
 phascoides, 516
 pyriforme, 198
 rauanum, 514
 recurvirostrum, 578
 commutatatum, 579
 latifolium, 579
 scabrum, 579
 recurvum, 526
 rupestre, 536
 subsessile, 608
 tenuis, 524
 tetragonum, 199
 tophaceum, 536
 trichodes, 328
 truncatum, 598
 viridulum, 522, 524, 535,
 536, 537, 538
 Gyroweisia, 479, 523, 524, 535,
 642
 pusilla, 525
 reflexa, 525
 tenuis, 523, 524
 Hagen, I., 257
 Haglund, W. A., 22
 Hague, S. M., 330
 Hamilton, C. D., 13
 Hampe, 461
Haplocladium
 microphyllum, 37
Haplohymenium
 sieboldii, 17
 Haring, I. M., 420, 511
 Harpel, J. A., 111, 475
 Harper, K. T., 15
 Harrington, A. J., 34, 471
 Hart, J. A., 37
 Hastings, R. I., 204, 225, 239,
 258, 261
 Hawksworth, D. L., 18
 Hayashi, S., 37
 Hébant, C., 6, 9, 10
 Hébrard, J. Y., 20
 Hedenäs, L., 9, 19, 30, 33
Hedwigia
 hornschuchiana, 563
 Hegewald, E., 416
 Heikkilä, R., 27
Hemitheca
 pylaiei, 84
Henedia, 635
Hennediella, 481, 577, 587,
 596, 635, 640
 heimii, 19, 29, 594, 635,
 636
 arctica, 634, 636
 heimii, 634, 636
 stanfordensis, 635, 636,
 637
Herbertus, 29, 40
 adunca, 38
 Hernnstadt, I., 522
Herpetineuron
 toccaeae, 17
 Heyn, C. C., 522
 Hilferty, F. J., 389, 413
 Hill, E. J., 343
 Hill, M. O., 516
 Hilpertia, 265, 480, 608, 631,
 632
 scotteri, 632
 velenovskiyi, 604, 631, 632
 Hinrichsen, D., 27
 Hirohama, T., 13
 Hoffman, P., 40
 Hofston, A. V., 16
 Hohe, A., 41
 Holzinger, J. M., 406, 602
Homalothecium
 sericeum, 29
 Horikawa, Y., 40
 Horne, P., 34, 35
 Horton, D. G., 170, 179
 Hotson, J. W., 32, 33, 35
 Hu, R. L., 36, 37
Husnotiella, 539
 pringlei, 560
 revoluta, 548
 palmeri, 548
 torquescens, 547, 554
Hydrogonium, 529
Hydrogrimmia, 205, 225, 257
 mollis, 257
Hygrohypnum, 5
 alpestre, 20
 ochraceum, 20
Hylocomiastrum, 6
Hylocomium, 32
 brevirostre, 32
 splendens, 16, 17, 19, 23, 29,
 30, 33, 34, 39
Hymenostomum, 512, 513
 brachycarpum, 515
 flavescens, 494
 inoperculatum, 518
 ligulifolium, 515
 microstomum, 515
 brachycarpum, 515
 rostellatum
 phascoides, 516
 tortile, 518
Hymenostylium, 479, 487, 488,
 521, 535, 577, 578
 recurvirostrum, 496, 522,
 536, 537, 557, 558, 560,
 564, 578, 579
 commutatatum, 579
 insigne, 578, 579, 580
 latifolium, 579

- Hymenostylium recurvirostrum
 (*continued*)
 recurvirostrum, 576, 578,
 579, 580
 scabrum, 579
 Hyophila, 478, 513, 582, 583,
 584, 585, 642
 involuta, 386, 489, 582, 583,
 585
 sprengelii
 stomatodonta, 584
 stanfordensis, 636
 stomatodonta, 584
 tortula, 585
 Hyophiladelphus, 478, 527
 agrarius, 526, 527, 528, 642
 Hyophilopsis, 581
 Hypnaceae, 39
 Hypnodon
 perpusillus, 469
 Hypnodontopsis, 468
 Hypnum, 25, 30, 32, 33, 34, 39,
 40
 cupressiforme, 18, 29, 30, 33,
 34, 38
 imponens, 21
 plumaeforme, 17, 22, 26, 29
 yokohamae, 17
 Hyvönen, J., 30

 Ichikawa, T., 38
 Ignatov, M. S., 533
 Ijiri, S., 15
 Ikenberry, G. H., 474
 Indusiella, 205, 206, 265, 615
 thianschanica, 264, 265, 266
 Inoue, H., 25, 34
 Ireland, R. R., 34, 35, 147, 151,
 152, 153, 197, 236, 239,
 345, 358, 380, 381, 382,
 393, 397, 404, 407, 414,
 425, 446, 450, 454, 456,
 457, 458, 459, 502, 511
 Ishikawa, I., 21
 Isocladius, 60
 macrophyllus, 61
 Isoe, S., 38
 Isotachis
 japonica, 37
 Isothecium, 29, 34
 myosuroides, 29, 30
 Isoviita, P., 46, 364, 407
 Iwatsuki, Z., 25, 34, 306, 332,
 340, 343, 386, 390, 393,
 406, 418, 439, 454, 495

 Jaffuelobryum, 205, 206, 231,
 262, 263
 arsenei, 263
 raui, 262, 263, 264
 wrightii, 263, 264
 James, T. P., 464
 Janssens, J. A., 15, 572, 575
 Janzen, P., 10
 Jennings, O. E., 39, 154
 Jiménez, M. N., 631
 Johnson Gottesfeld, L. M., 30
 Jones, G. N., 213, 248, 249,
 310
 Jonesiobryum, 468
 Jungermannia
 vulcanicola, 15

 Karnosky, D. F., 19
 Kawai, I., 6, 8
 Kawamoto, T., 25
 Keen, R. E., 15, 20
 Keever, C., 247
 Keizer, P. J., 22
 Ketchledge, E. H., 393
 Khan, M. R., 39
 Kiaeria, 359, 362, 420, 421,
 423
 blyttii, 421, 422, 423
 falcata, 363, 421, 422, 423
 glacialis, 421, 423
 starkei, 421, 422, 423
 Kienitz-Gerloff, F., 10
 Kindberg, N. C., 238, 249
 Kirschbaum, U., 18
 Klinger, L. F., 15
 Klöcking, R., 38
 Knight, D., 27
 Koch, L. F., 355
 Köckinger, H., 550
 Kodama, T., 25
 Konopka, A. S., 122, 134
 Koponen, A., 643
 Koponen, T. J., 516
 Kroeger, P., 39
 Kučera, J., 550
 Kulikov, N. V., 20
 Kwiatkowski, A., 20

 LaCroix, J. J., 39
 La Farge, C., 4, 463
 Lalancette, J. M., 20
 Lampton, R. K., 390
 Larix, 22
 Larson, D. A., 13
 Lawton, E., 129, 134, 237, 238,
 248, 281, 301, 306, 389,
 390, 393, 427, 455, 465,
 467, 482, 569
 LeBlanc, F., 18, 19
 Lee, C. K., 20
 Lee, J. A., 18, 19
 Leiberg, J. B., 253
 Leitgeb, H., 4
 Lejeunea
 biseriata, 473
 punctiformis, 17
 Lemmon, B. E., 348, 357, 517
 Lepidozia, 42
 ceratophylla, 42, 43
 vitrea, 38
 Leptangium
 imbricatum, 203
 Leptobryum, 5, 9, 467
 pyrifforme, 15, 25
 Leptodictyum
 riparium, 20, 30
 Leptodontieae, 578
 Leptodontium, 479, 573, 574,
 575, 577, 578, 581
 excelsum, 576
 flexifolium, 574, 575
 americanum, 575
 orcuttii, 575
 recurvifolium, 491
 sulphureum
 panamense, 576
 viticulosoides, 575
 sulphureum, 576
 Leptolejeunea, 37
 Leptotrichum
 canadense, 389
 crispatisimum, 453
 gracile, 453
 schimperii, 456
 Leskea
 polycarpa, 20
 Lesquereux, L., 464
 Leucobryaceae, 440, 663
 Leucobryum, 9, 15, 21, 25, 26,
 440, 441, 442, 664
 albidum, 441, 442
 antillarum, 442
 antillarum, 442
 boweringii, 22
 glaucum, 30, 438, 441, 442
 incurvifolium, 442
 leanum, 366
 neilgherrense, 22
 scabrum, 22
 Leucodon, 3
 sciuroides, 29
 Leucoloma, 9
 Leucoperichaetium, 205
 Leucophanaceae, 440, 663
 Leucophanes
 leanum, 366
 Lewis, M., 29
 Lewis-Smith, R. I., 605
 Li, X. J., 482
 Liao, P. H., 21
 Liden, K., 20
 Limpricht, K. G., 14, 248, 256,
 532
 Lindberg, S. O., 122, 125, 134
 Lindberg, T., 16
 Lindholm, T., 27
 Lindstrom, O., 27
 Linnaeus, C., 33
 Loeske, L., 233
 Loeskeobryum
 brevirostre, 29
 Long, D. G., 128, 137, 138,
 140, 147, 158, 636
 Longton, R. E., 24, 40
 Lophozia
 bicrenata, 37
 Lorentziella, 202
 imbricata, 201, 203
 Löve, Å., 330
 Löve, D., 330, 413
 Low, K. S., 18, 20
 Lundstrom, H., 18
 Luisierella, 477, 480, 641, 642
 barbula, 641, 642
 Lunularia
 cruciata, 17
 Lycopodium
 clavatum, 85
 Lyellia, 122, 123, 124, 159,
 161
 aspera, 159, 160
 crispa, 160
 lescurei, 161

 Macrothamnium
 submacrocarpum, 29, 34
 Madsen, G. C., 37
 Magill, R. E., 170, 440, 605
 Magombo, Z. L. K., 162
 Mahler, B. D., 390, 391
 Mahler, W. F., 390, 391
 Mair, E. M., 250
 Manierre, W. R., 525
 Manzoku, T., 30
 Marble, J. R., 15
 Marchantia
 palacea, 39
 palmata, 36
 polymorpha, 17, 18, 36, 37,
 38, 39
 tosana, 39
 Marchantiophyta, 3
 Margadant, W. D., 463
 Markert, B., 19
 Mårtensson, O., 14
 Martínez-A., J., 19
 Maschke, J., 17
 Massie, H., 23
 Matsui, T., 454
 Matsuo, A., 22, 26, 33, 34, 37,
 38
 Mayo, J. M., 21
 McAllister, F., 391
 McCain, W. H., 35
 McCleary, J. A., 37, 38, 390,
 532
 McClymont, J. W., 13
 McDowell, J., 24
 McIntosh, T. T., 180, 196, 207,
 445, 603, 607, 612, 631
 McQueen, C. B., 45, 46, 99
 Meesia, 10
 bolleana, 534
 triquetra, 82
 Meiotrichum, 123, 124, 141
 lyallii, 126, 139, 141, 142
 Melnichuk, V. M., 413
 Merceya, 483
 latifolia, 640
 ligulata, 485
 Merceyaceae, 483
 Merceyoideae, 480, 483
 Metaneckera, 29, 34
 Meteoraceae, 35
 Meteoropsis, 40
 Meteorium
 helmintocladulum, 34
 Microbryum, 480, 587, 627,
 628, 638
 davallianum, 628, 629
 commutatum, 630
 conicum, 625, 630
 davallianum, 625, 630
 floerkeanum, 628, 630, 631
 badium, 630
 henrici, 595
 starckeanum, 628, 629
 brachyodus, 625, 628, 629
 fosbergii, 593, 628, 629
 starckeanum, 628, 629

- vlassovii, 628, 631
Microodus, 386
 debilis, 390
 laxiretis, 390
 leptotrichoides, 390
 lindigianus, 387
 sphaerocarpus, 387
Micromitrium, 647, 649
 austinii, 648
 megalosporum, 647, 648, 649
 synoicum, 646, 647, 648, 649
 tenerum, 645, 647, 648, 649, 653
 wrightii, 647, 648, 649, 653
Microtheciella, 471
Microtheciellaceae, 471
Mielichhoferia
 elongata, 14
 mielichhoferi, 14, 261
 Miles, C. J., 24
 Miller, D. H., 182, 188
 Miller, H., 21, 36, 37
 Miller, H. A., 30, 182, 188, 471
 Miller, N. G., 15, 21, 27, 29, 36, 37, 40, 572
 Min, L. Y., 40
 Minato, M., 15
Mironia, 573
 Mishler, B. D., 572, 595, 618
 Mitchell, J. C., 37, 39
 Miyagi, C., 610
 Mizutani, M., 25, 30, 39
Mniaceae, 39
Mnium, 37, 38
 hornum, 26
 Modreski, P. J., 20
Moenkemeyera, 331
 littlei, 354
 neonii, 347
Moerckia, 37
 Mogensen, G. S., 13, 216, 377, 380, 381
 Mohr, C., 407
 Molendoa, 479, 487, 496, 497, 521, 561, 562
 hornschiuchiana, 562, 563, 564
 ogalalensis, 562, 564, 565
 sendtneriana, 495, 551, 562, 563, 564, 578
 Möller, H., 249
Mollia
 subg. *Tortella*, 498
 tortuosa
 arctica, 505
 viridula, 514
 Mönkemeyer, W., 413
 Montanae, 238
 Mouvet, C., 20
 Mueller, D. M. J., 13
 Müller, P., 427
 Muñoz, J., 232, 233, 234, 237, 238, 240, 246, 249, 250, 254, 259, 262
 Murray, B. M., 103, 107, 108, 109, 262, 265, 572, 603, 604, 608
Muscoflorschuetzia, 162
 Nadaya, K., 22
Nanomitrium, 647, 649
 austinii, 647, 648, 649
 floridanum, 648
 megalosporum, 647, 649
 synoicum, 648
 wrightii, 649
Nardia, 15
 Nash, E. H., 17, 18
 Nash, T. H., 17
 Neckera, 33
 calcicola, 34
 complanata, 29
 crenulata, 34
 crispa, 14, 23, 32, 33
 intermedia, 34
 menziesii, 34
 pennata, 34
 viticulosoides, 575
Neckeraceae, 39
 Nehira, K., 3
 Neidhart, H. V., 13
 Nelson, T. C., 30
Neocardotia, 572
Neobyophila, 581
 sprengelii, 582
 stomatodonta, 584
Neosharpiella, 202
 Neumann, A. J., 13
 Newmaster, S. G., 362, 420, 423
 Newton, M. E., 465
 Nichols, G. E., 22, 35, 126, 158
 Nichols, H., 15
 Niemi, R., 19
Niphotrichum, 204, 267, 285, 286, 293, 294
 sect. *Elongata*, 286, 289
 sect. *Niphotrichum*, 286
 canescens, 280, 286, 287, 288, 292
 canescens, 287, 288
 latifolium, 287, 288
 elongatum, 289, 292
 ericoides, 289, 290, 291, 292
 muticum, 289, 290
 panschii, 286, 288, 291
 pygmaeum, 289, 290, 291
 Noguchi, A., 34, 306, 386
 Norris, D. H., 184, 233, 385, 388, 393, 482, 572, 594
Nostoc, 39
 microscopicum, 39
 Novotny, L., 453
 Nyholm, E., 151, 346, 361, 377, 382, 389, 404, 413, 453, 467, 502
 Nyssa, 344
 Ochyra, R., 204, 205, 238, 266, 267, 285, 293, 295, 383, 555, 605
Octoblepharaceae, 440, 663
Octoblepharum, 440, 663, 664
 albidum, 21, 661, 664
Octodicerias, 331
 hallianum, 344
 julianum
 ohioense, 343
 Oechel, W. C., 15
Oedipodiaceae, 116
Oedipodiella, 202
Oedipodium, 116, 117
 griffithianum, 117
 Ohta, Y., 38
Oligotrichum, 122, 123, 124, 142, 143
 aligerum, 142, 143, 144
 falcatum, 143, 144, 145
 glabratum, 147
 hercynicum, 143, 144, 145
 incurvum, 144
 laevigatum, 147
 cavifolium, 146
 parallelum, 142, 143, 144, 156
 Oliver, M. J., 40
Oncophorus, 360, 377, 421, 423, 431
 glaucescens, 379
 rauei, 422, 423, 424, 431
 strumulosus, 380
 virens, 422, 423, 424, 432
 serratus, 424
 wahlenbergii, 423, 424, 430, 431, 432
 compactus, 424
 Oosting, H. J., 247
Oreas, 359, 381, 425
 martiana, 380, 425, 426
Orthodicranum, 398, 406
 rhabdocarpum, 406
Orthogrimmia, 205
Orthotrichaceae, 468
Orthotrichum, 9, 11, 12, 13
 obtusifolium, 19
 Osada, T., 131
Osmunda, 334
 Otnyukova, T. N., 556
Oxystegus, 488
 cylindricus, 491
 recurvifolius, 491
 spiralis, 491
 svihlae, 495
 tenuirostris, 490, 491
 stenocarpus, 491
Ozobryum, 561
 ogalalensis, 564
Pachyfidens
 grandifrons, 343
 Padberg, M., 365
 Padhye, A. A., 35
 Painter, T. J., 34
 Pakarinen, P., 20
Pallavicinia, 38
 Pando, F., 233
 Pant, G. B., 21, 29, 32, 33, 34, 36, 37, 40
 Paolillo, D. J., 10
Papillaria, 33
Paraleptodontium, 488
 recurvifolium, 491
Paraleucobryoideae, 427
Paraleucobryum, 359, 425, 426, 427, 440
 enerve, 426, 427, 428
 longifolium, 395, 426, 427, 428
 sauteri, 427, 428
 Pates, A. L., 37
 Paton, J. A., 12
 Patterson, E., 442
 Pavletic, Z., 38
 Pearce, J. V., 12
 Perin, F., 21
 Perry, D., 29
 Persson, H., 14
 Petersen, R. L., 19
 Peterson, W. L., 21, 398, 401, 407, 411, 413, 414, 419, 442
Phascum, 586, 638
 sect. *Leptophascum*, 633
 sect. *Microbryum*, 627
 sect. *Pottiella*, 627
 subg. *Aschisma*, 518
 subg. *Leptophascum*, 633
 subg. *Microbryum*, 627
 subg. *Pottiella*, 627
 acaulon, 595
 alternifolium, 316
 axillare, 467
 bryoides, 592
 cohaerens, 650
 crassinervium, 651
 cuspidatum, 595
 americanum, 595
 henrici, 595
 piliferum, 595
 schreberianum, 595
 flexuosum, 436
 floerkeanum, 630
 fosbergii, 629
 hyalinotrichum, 605
 leptophyllum, 634
 ludovicianum, 516
 muhlenbergianum, 517
 muticum, 639
 nitidum, 467
 palustre, 461
 patens, 195
 schimperianum, 638
 serratum, 650
 angustifolium, 652
 subulatum, 465
 tenerum, 648
 triquetrum, 638
 vlassovii, 631
Philocrya
 aspera, 160
Philonotis, 29, 37
Phyllogonium
 norvegicum, 330
Physcomitrella, 181, 194, 195
 californica, 195
 patens, 41, 181, 195, 196
 californica, 195
 readeri, 195
 readeri, 195, 196
Physcomitrium, 13, 25, 181, 195, 196, 197
 californicum, 198
 collenchymatum, 197, 198
 coloradense, 197
 drummondii, 198
 haringiae, 187
 hookeri, 197

- Physcomitrium (*continued*)
 immersum, 181, 182, 197, 198
 kellermanii, 198
 megalocarpum, 198
 pygmaeum, 198
 pyriforme, 196, 197, 198, 199
 turbinatum, 198
Picea, 22
 glauca, 22
 mariana, 22
 rubens, 101
Pinus, 22
 banksiana, 17, 22
 contorta, 101, 374
Plagiochila, 26, 29
 semidecurrens, 39
Plagiomnium, 6, 40
 cuspidatum, 24
 maximoviczii, 40
 undulatum, 23, 34
Plagiothecium, 8
Platygyrium, 9
Platyhyphnidium
 riparioides, 20, 30
Plaubelia, 478, 581, 582, 583, 585, 642
 sprengelii, 582
 sprengelii, 583
 stomatodonta, 582, 583, 584
Pleuroditrichum, 443
Pleuroidium, 315, 444, 461, 463, 466
 sect. *Pseudephemerum*, 467
 acuminatum, 464, 465
 alternifolium
 lancastricense, 465
 robustum, 465
 axillare, 467
 bakeri, 464, 465
 elongatum, 464, 465
 bolanderi, 464, 465
 californicum, 464, 465
 mexicanum, 466
 nitidum, 467
 palustre, 461
 ravenelii, 462, 464
 stramineum, 464, 465
 subulatum, 463, 464, 465
 sullivantii, 463, 465, 466
Pleurochaete, 477, 496, 497, 498, 499, 562
 beccarii, 497
 ecuadorensis, 497
 luteola, 495, 497, 498
 malacophylla, 497
 squarrosa, 497, 498
Pleuroweisia, 561
Pleuroweisiaeae, 486
Pleurozium
 schreberi, 15, 17, 22, 29, 30, 34
Ploetner, G., 37
Podpěra, J., 398, 413
Pogonatum, 15, 22, 24, 121, 122, 123, 124, 142, 155
 alpinum, 15, 125
 brevifolium, 126
 fragile, 128
 macounii, 127
 septentrionale, 127
 brachyphyllum, 155, 156, 157, 158
 brevicaule, 157
 capillare, 158
 contortum, 154, 155, 156
 dentatum, 156, 158, 159
 macounii, 127
 pensilvanicum, 156, 157, 158
 torreyanum, 158
 sphaerothecium, 129
 tenue, 157
 urnigerum, 15, 126, 155, 156, 157, 158, 159
Pohlia, 15, 467
 cruda, 15
 filum, 362
 ludwigii, 20
 nutans, 17
Poliakov, I. A., 20
Polypodium, 334
Polytrichaceae, 24, 39, 116, 121, 122, 126, 156, 160
Polytrichadelphus, 141
 lyallii, 141
 magellanicus, 31
Polytrichastrum, 123, 124, 125, 132
 sect. *Meiotrichum*, 141
 alpinum, 125, 126, 128, 142, 159
 alpinum, 126
 fragile, 125, 126, 128
 septentrionale, 126, 127, 128, 129
 sylvaticum, 126, 127
 appalachianum, 125, 132
 formosum, 125, 130, 131, 132
 densifolium, 130, 131
 formosum, 130, 131
 longisetum, 125, 129, 130
 lyallii, 141
 norwegicum, 127, 128
 ohioense, 125, 127, 131, 132, 133
 pallidisetum, 125, 130, 131, 132, 133, 135
 papillatum, 125, 128
 sexangulare, 125, 126, 128, 129
 sexangulare, 129
 vulcanicum, 129
Polytrichopsida, 6, 9, 12, 13
Polytrichum, 13, 15, 19, 22, 24, 26, 30, 33, 38, 39, 122, 123, 124, 125, 132, 133, 134
 sect. *Juniperifolia*, 134
 sect. *Polytrichum*, 134
 affine, 139
 algidum, 137
 alpestre, 138
 alpinum, 125
 arcticum, 126
 campanulatum, 127
 fragile, 128
 septentrionale, 127
 sylvaticum, 127
 angustatum, 150
 angustidens, 141
 appalachianum, 132
 attenuatum, 130
 brachyphyllum, 157
 cavifolium, 146
 commune, 19, 22, 23, 29, 30, 31, 33, 35, 37, 92, 130, 133, 134, 135, 137, 138
 commune, 135, 136
 diminutum, 137
 jensenii, 137
 perigoniale, 135, 136
 swartzii, 137
 uliginosum, 135
 yukonense, 137
 contortum, 156
 cylindricum, 153
 decipiens, 132
 densifolium, 131
 dentatum, 158
 formosum, 19, 130
 aurantiacum, 129
 densifolium, 131
 fragile, 128
 gracile, 129, 132
 anomalum, 129, 130
 hercynicum, 144
 hyperboreum, 134, 138, 139, 140
 inconstans, 137
 jensenii, 134, 137
 juniperinum, 37, 38, 92, 135, 138, 139, 140
 affine, 139
 alpestre, 138
 gracilius, 139
 waghornei, 138
 laevigatum, 147
 longisetum, 129
 lyallii, 141
 ohioense, 18, 131
 pallidisetum, 132
 papillatum, 128
 pensilvanicum, 157
 perigoniale, 136
 piliferum, 23, 134, 139, 140
 hyperboreum, 138
 septentrionale, 127, 128
 sexangulare, 128
 vulcanicum, 129
 smithiae, 132
 sphaerothecium, 129
 strictum, 19, 135, 138, 139, 140
 swartzii, 134, 136, 137
 sylvaticum, 127
 undulatum, 154
 urnigerum, 158
 xanthopilum, 132
 yukonense, 137
Poets, V. J. P., 20
Populus, 22
Porella, 26, 38
 arboris-vitae, 39
 japonica, 38
 navicularis, 26
 Porter, C. L., 596
 Porter, J. B., 35
 Posth, M. A., 29
 Potter, L., 19
Pottia, 586
 sect. *Pottiella*, 627
 sect. *Stegonia*, 603
 subg. *Pottiella*, 627
 arizonica, 629
 mucronulata, 629
 bryoides, 592, 629
 commutata, 630
 davalliana, 629
 commutata, 630
 fosbergii, 629
 heimii, 29, 636
 arctica, 636
 obtusifolia, 636
 heimioides, 636
 intermedia, 598
 lanceolata, 592
 latifolia, 599, 604
 nevadensis, 594
 randii, 601
 starckeana, 628, 629
 brachyodus, 629
 conica, 630
 minutulum, 630
 texana, 630
 truncata, 18, 598
 major, 598
 Pottiaceae, 5, 12, 13, 110, 163, 265, 286, 377, 381, 468, 476, 482, 491, 548, 562, 567, 573, 593, 610, 643, 645
 subfam. *Barbuloideae*, 477, 478, 519, 527
 subfam. *Merceyoideae*, 480, 483
 subfam. *Pottioideae*, 477, 480, 527, 585, 599, 632
 subfam. *Timmielloideae*, 477, 481
 subfam. *Trichostomoideae*, 477, 485, 489
 tribe *Barbuleae*, 519, 525, 578
 tribe *Leptodontieae*, 578
 Pottioideae, 477, 480, 527, 585, 599, 632
 Powell, K. E., 35
 Prigg, R. F., 20
 Prins, H. H. T., 40
 Pritchard, N. M., 445, 446, 447, 448
 Proctor, M. C. F., 5, 8, 12, 21
Protobryum, 586, 587
 bryoides, 592
 Pryce, R. J., 38
Pseudephemerum, 444, 467
 nitidum, 466, 467
Pseudocrossidium, 265, 479, 569, 570
 aureum, 570
 crinitum, 555, 570, 571
 hornschuchianum, 566, 570, 571, 572

- obtusulum, 570, 571, 572
 replicatum, 570, 571, 632
 revolutum, 572
 obtusulum, 571
Pseudomonas
 aeruginosa, 37
Pseudoscleropodium
 purum, 30, 32, 33, 34
Pseudosymblepharis, 497, 498
 schimperiana, 491, 511
Pseudotaxiphyllum, 6
Psilopilum, 121, 123, 124, 145, 148
 arcticum, 147
 cavifolium, 146, 147
 anomalum, 146, 147
 laevigatum, 15, 145, 146, 147
 tshuctschicum, 146
Pterigynandrum
 ramondii, 256
Pterygoneurum, 480, 603, 604, 606, 607, 608, 612
 arcticum, 607
 californicum, 609
 kozlovii, 607, 609
 lamellatum, 607, 608
 ovatum, 607, 608, 609
 incanum, 608
 subsessile, 607, 608, 609
 henrici, 609
 kieneri, 609
 subsessile, 609
Ptilium
 crista-castrensis, 17, 30, 34
Ptychomitriaceae, 306
Ptychomitrioideae, 266
Ptychomitrium, 266, 306, 307, 309
 drummondii, 307, 309, 310
 gardneri, 307, 308, 309
 incurvum, 308, 309
 leibergii, 308
 serratum, 307, 308
 sinense, 308, 309
Pursell, R. A., 329, 331, 332, 334, 338, 341, 343, 348, 355, 470, 644
Pyramidula, 5, 181, 199
 tetragona, 198, 199
Pyricularia
 oryzae, 38
Pythium
 debaryanum, 38

Quaesticula, 642
 navicularis, 494
Quercus
 virginiana, 664

Racomitrioideae, 205, 206, 252, 256, 266
Racomitrium, 19, 205, 241, 249, 256, 266, 267, 268, 286, 293, 294, 295
 [unranked] *Canescentia*, 286
 [unranked] *Laevifolia*, 273
 sect. *Canescentia*, 286
 sect. *Ellipticodryptodon*, 267
 sect. *Elongata*, 289
 sect. *Fascicularia*, 302
 sect. *Laevifolia*, 273
 sect. *Lanuginosa*, 293
 sect. *Lawtonia*, 278
 sect. *Marginata*, 270
 sect. *Papillosa*, 296
 sect. *Sudetica*, 280
 subg. *Cataractarum*, 295
 subg. *Ellipticodryptodon*, 267
 subg. *Microcarpa*, 267
 subg. *Niphotrichum*, 285
 aciculare, 297
 aduncoides, 299
 affine, 274
 afoninae, 272
 alternuatum, 248
 aquaticum, 301
 brevipes, 281, 282
 ericoides, 291
 muticum, 289
 canadense, 271
 canescens, 26, 29, 286, 287, 291
 [unranked] *muticum*, 289
 delamarei, 303
 latifolium, 288
 lutescens, 304
 muticum, 289
 cyclodictyon, 552
 delamarei, 303
 depressum, 300
 elongatum, 292
 ericoides, 291
 fasciculare, 303
 haplocladon, 303
 nigricans, 303
 heterostichum, 249, 253, 274
 affine, 274
 gracilescens, 274
 macounii, 282
 microcarpon, 271
 occidentale, 283
 ramulosum, 271
 sudeticum, 284
 jensenii, 284
 lanuginosum, 32, 290, 294
 lawtoniae, 279
 macounii, 249
 microcarpon, 271
 palmeri, 303
 molle, 298
 nevii, 297
 norrisii, 299
 obesum, 275
 occidentale, 283
 oreganum, 304
 pacificum, 277
 palmeri, 303
 patens, 256
 pygmaeum, 290
 robustifolium, 282
 ryszardii, 301
 speciosum, 304
 sudeticum, 21, 284
 [unranked] *occidentale*, 283
 [unranked] *papillosum*, 284
 alaskanum, 284
 alpinum, 283
 tenuinerve, 303
 varium, 304
 venustum, 277
Radula, 38
 perrottetii, 39
Raeymaekers, G., 17
Ramsay, H. P., 13
Rao, D. L. N., 16
Rao, D. N., 18, 19
Rasmussen, L., 19
Reboulia, 38
Redfearn, P. L. Jr., 390, 393, 440, 511, 532, 610
Reed, C. F., 391
Reese, W. D., 306, 494, 514, 517, 518, 643, 654, 663
Renauld, F., 404
Rhabdoweisia, 359, 383, 428
 crenulata, 428, 429, 430
 crispata, 428, 429, 430
 denticulata, 429
Rhabdoweisiaceae, 428
Rhachithecaceae, 468
Rhachithecopsis, 468
Rhachithecium, 468
 perpusillum, 469
Rhacomitrium, 293
Rhacopilum
 aristatum, 30
Rhexophyllum, 479, 572, 573
 subnigrum, 573, 574
Rhizoctonia
 solani, 38
Rhizogonium
 dozyanum, 22
Rhizomnium
 punctatum, 23
Rhodobryum, 26
 giganteum, 37
 roseum, 37
Rhododendron, 22
 campanulatum, 40
 ponticum, 22
Rhus, 40
 javanica, 40
Rhytiadelphus, 29, 30
 japonicus, 29
 loreus, 29, 30
 squarrosus, 33, 34
 triquetrus, 30, 34
Rhytidopsis
 robusta, 21
Rhytidium
 rugosum, 34
Riccardia
 multifida, 39
Riccia, 36
 fluitans, 30, 37
Ricciocarpus
 natans, 30
Richards, P. W., 14
Richardson, D. H. S., 27, 29, 31
Rieley, J. O., 21
Risk, A. C., 357
Risse, S., 454, 461, 463
Roberts, B. A., 19
Robertson, L. L., 12
Robinson, G. D., 20
Robinson, H., 12, 391, 440, 450, 456, 458, 540
Rochefort, L., 29
Roellia, 7
Rohrer, J. R., 13
Romanova, E. A., 15
Rook, A., 37
Ros, R. M., 629
Rose, F., 18
Rosenberg, N., 35
Rottleria, 584
Rozmej, A., 20
Rudenko, S. I., 34
Rudolph, E. D., 17
Ruel, M., 21, 29, 30
Rühling, A., 19
Rushing, A. E., 202, 434, 436
Rütten, D., 40

Sabal
 palmetto, 664
Saelania, 443, 444, 458
 glaucescens, 457, 458
Sainsbury, G. O. K., 238
Saito, K., 13, 30, 482, 493, 495, 528, 529, 540
Salix, 85
Salmon, E. S., 333
Samecka-Cymerman, A., 20
Santarius, K. A., 40
Satake, K., 19, 20
Savicz-Lubitzkaya, L. I., 70, 413
Saxena, D. K., 14, 15, 22, 27, 33
Sayre, G., 239
Scapania, 29, 40
 undulata, 20
Schistidium, 204, 205, 206, 207, 218
 agassizii, 209, 211, 222
 alpicola, 222
 ambiguum, 207
 andreaeopsis, 219, 220
 apocarpum, 207, 210, 211, 217
 atrichum, 209, 212
 atrofusum, 209, 213
 boreale, 207, 209, 213, 218, 221, 223
 cinclidodonteum, 208, 214, 215, 221
 confertum, 210, 214, 216, 218
 crassipilum, 210, 212, 215
 crassithecium, 208, 214, 215
 cryptocarpum, 209, 215, 216
 dupretii, 209, 210, 212, 214, 216, 218
 flaccidum, 209, 216, 232
 flexipile, 210, 217
 frigidum, 209, 210, 214, 216, 217, 218
 frisvollianum, 208, 213, 218
 grandirete, 210, 218, 219
 heterophyllum, 208, 219, 224
 holmenianum, 208, 218, 219, 220
 lancifolium, 207, 211
 liliputanum, 210, 220
 maritimum, 208, 213, 220
 piliferum, 220

- Schistidium (*continued*)
obtusifolium, 231
occidentale, 208, 214, 215, 221
papillosum, 207, 209, 213, 217, 221
platyphyllum, 222
pulchrum, 210, 221, 222
recurvum, 207
rivulare, 209, 211, 222, 223
latifolium, 222
robustum, 210, 222, 223
serratum, 181
strictum, 208, 213, 223
subjulaceum, 209, 210, 211, 222, 223, 224
submuticum
arcticum, 222
tenerum, 208, 219, 224
teretinerve, 239
trichodon, 207, 209, 211, 225
umbrosum, 207, 211
venetum, 210, 225
- Schistostega, 475
osmundacea, 475
pennata, 475
- Schistostegaceae, 475
- Schlechtendalia*
chinensis, 40
- Schofield, W. B., 37, 42, 118, 162, 200, 301, 345, 385, 395, 428, 640
- Schulz, D., 10
- Schuster, R. M., 37, 42
- Scopelophila, 14, 480, 483, 484, 640
cataractae, 483, 484, 485
latifolia, 640
ligulata, 483, 484, 485
- Scott, H. B., 40
- Scotter, G. W., 559
- Scouleria, 312
aquatica, 312, 313
marginata, 312, 313
muelleri, 313
patagonica, 312
- Scouleriaceae, 311
- Searles, P. S., 19
- Seaward, M. R. D., 34
- Seki, T., 610
- Selander, H., 16
- Seligeria, 320, 327, 381
subg. *Globulina*, 605
acutifolia, 319, 321, 322, 325
brevifolia, 321, 322, 325
calcareo, 321, 322, 323, 326
campylopoda, 321, 322, 323, 324, 325, 381
careyana, 321, 323
diversifolia, 321, 323, 324
donniana, 321, 322, 324
globifera, 606
lindigiana, 387
oelandica, 321, 323, 324
polaris, 321, 324, 325, 326
pusilla, 321, 322, 324, 325
brevifolia, 322
recurvata, 321, 325
arcuata, 322
subcampylopoda, 322
subimmersa, 321, 325, 326
trifaria, 320
tristichoides, 321, 324, 326
- Seligeriaceae, 320, 381
- Sematophyllum*
subhumile, 17
- Sen, S. P., 38
- Seppelt, R. D., 443, 448, 450, 453, 458
- Shacklette, H. T., 14, 20
- Sharp, A. J., 330, 414, 442, 474, 495
- Shaw, A. J., 10, 12, 13, 484, 485, 515
- Shevock, J. R., 184, 233, 385, 388, 393, 482, 572, 594
- Shiikawa, M., 15
- Side, A. G., 602
- Simon, T., 15
- Singh, B., 38
- Sjors, H., 21
- Skitophyllum*
fontanum, 343
- Skye, E., 18
- Smirnova, Z. N., 70, 413
- Smith, A. J. E., 126, 130, 131, 254, 383, 404, 465, 502, 636
- Smith, D. C., 14
- Smith, D. K., 42
- Smith, G. S., 35
- Smith (Merrill), Gary L., 13, 121, 122, 124, 128, 133, 134, 141, 142, 145, 147, 153, 155, 159, 161, 519
- Smith, R. T., 20, 26, 27
- Snider, J. A., 315, 318, 360, 390, 413, 418, 463
- Solenostoma*, 37
- Sollman, P., 383, 552
- Solmsiella, 471, 473
biseriata, 472, 473
kurzii, 473
- Soma, M., 20
- Spence, J. R., 42, 262, 314, 327
- Sphagna, 82
- Sphagnaceae, 45, 102, 108, 624
- Sphagnopsida, 10
- Sphagnum, 3, 4, 6, 9, 10, 11, 12, 15, 16, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 32, 33, 34, 35, 37, 38, 39, 40, 41, 45, 46, 52, 61, 80, 97, 140, 407
[unranked] *Cavifolia*, 78
[unranked] *Comatosphagnum*, 78
[unranked] *Cyclophylla*, 78
[unranked] *Polyclada*, 85
[unranked] *Pycnoclada*, 85
[unranked] *Rigida*, 55
[unranked] *Squarrosa*, 58
[unranked] *Subsecunda*, 78
[unranked] *Truncata*, 57
sect. *Acisphagnum*, 85
sect. *Acuta*, 85
sect. *Acutifolia*, 47, 85, 89, 91, 92, 94, 95, 96, 97, 100, 101
sect. *Cuspidata*, 47, 61, 64, 65, 67, 68, 70, 73, 76, 82
sect. *Fimbriata*, 85
sect. *Hemitheca*, 78
sect. *Insulosa*, 47, 57
sect. *Isocladus*, 47, 60
sect. *Litophloea*, 85
sect. *Longifolia*, 85
sect. *Mollia*, 85
sect. *Mollusca*, 61
sect. *Polyclada*, 47, 85
sect. *Pyncnosphagnum*, 85
sect. *Rigida*, 47, 55
sect. *Sphagnum*, 47, 48, 49, 54
sect. *Squarrosa*, 47, 58, 60
sect. *Subsecunda*, 47, 78, 80, 82, 83, 84
sect. *Truncata*, 85
acutifolium, 92
flavicomans, 93
fuscum, 94
quinquefarium, 96
robustum, 97
subtile, 99
tenellum, 96
affine, 48, 49, 50, 51, 52, 55, 92
alabamae, 82
alaskense, 49, 50, 51, 52, 53
amblyphyllum, 68
parvifolium, 64
andersonianum, 81, 86, 88, 89, 96
angermanicum, 87, 89, 101
angustifolium, 19, 63, 64, 65, 66, 68, 84, 89, 92, 94, 96
annulatum, 55, 62, 64, 65, 69, 72
porosum, 69
aongstroemii, 57, 83
apiculatum, 67
aquatile, 82
arcticum, 86, 89
atlanticum, 63, 65, 72, 77, 80
auriculatum, 81, 82, 83
inundatum, 81
austinii, 48, 50, 51, 55
balticum, 62, 63, 64, 65
bartlettianum, 88, 89, 90, 96, 101
roseum, 90
bavaricum, 81
beothuk, 87, 90, 91
bergianum, 87, 90, 91
bolanderi, 92
brevicaule, 54
brevifolium, 63, 64, 66, 67, 68, 74
bushii, 81
capillaceum, 91
tenellum, 96
tenerum, 100
capillifolium, 30, 88, 89, 91, 92, 96, 97, 99, 100, 101
tenellum, 96
tenerum, 100
viride, 91
carolinianum, 79, 80
centrale, 49, 50, 51, 53, 80, 84, 85, 92, 94, 97, 98, 101
compactum, 54, 56
expositum, 56
imbricatum, 56
contortum, 78, 80, 84, 98
platyphyllum, 83
cribrosum, 60, 61, 80
crispum, 84
cuspidatum, 64, 65, 66, 67, 72, 73, 77, 78, 93
brevifolium, 66
fallax, 67
majus, 70
miquelonense, 77
plumosum, 66
serratum, 77
serrulatum, 77
torreyi, 77
cyclophyllum, 79, 80, 82, 84
cymbifolium, 53
austimii, 50
cordifolium, 57
ludovicianum, 54
papillosum, 53
tenellum, 76
denticulatum, 82
dusenii, 71
evansii, 101
fallax, 63, 64, 66, 67, 68, 76, 89, 92, 94, 96, 97
flexuosum, 68
faxonii, 66
fimbriatum, 84, 86, 92, 93, 94, 97
arcticum, 92
concinnum, 83, 92, 95
fimbriatum, 92
fitzgeraldii, 62, 67, 77, 80, 82
flavicomans, 87, 89, 91, 93, 94, 95, 98
flexuosum, 63, 64, 68, 75, 76, 84
fallax, 67
ramosissimum, 68
recurvum, 68
tenue, 64
floridanum, 61
fuscum, 19, 86, 87, 89, 90, 92, 93, 94, 96, 97
garberi, 56
girgensohnii, 85, 86, 94, 95, 96, 97
grasslii, 83
harperi, 54
belleri, 77
henryense, 49, 51, 52, 53, 92
bartlettii, 51
imbricatum, 48, 51, 52, 55
affine, 49
arcticum, 54
austimii, 50
laeve, 49
inexpectatum, 79, 80, 81, 83, 84

- intermedium*
pulchrum, 74
 inundatum, 79, 81, 82
 isoviitae, 63, 66, 67, 68
 jensenii, 62, 65, 69, 83
 annulatum, 64
 junghuhnianum, 87, 95
 pseudomolle, 95
 kearneyi, 77
 kenaiense, 62, 63, 65, 69
 labradorensis, 95
 laricinum
 platyphyllum, 83
laxifolium
 miquelonense, 77
 serrulaatum, 77
 lenense, 62, 70
 lescurii, 79, 80, 81, 82, 283
 lindbergii, 62, 70
 microphyllum, 70
 ludovicianum, 54
 macrophyllum, 60, 61, 80
 burinense, 61
 floridanum, 61
 magellanicum, 19, 30, 49, 50,
 52, 53, 92, 94, 96
 majus, 62, 65, 70, 76, 84
 majus, 71, 72, 73
 norvegicum, 71, 72, 73
 margaritae, 91
 mcqueenii, 63, 72
 mehneri, 94
 mendocinum, 62, 72, 73
 gracilescens, 72
 recurvum, 72
 robustum, 72
 mexicanum, 56
 microcarpum, 74, 78, 80, 82
 humile, 82
 mirum, 58
 mississippiense, 63, 73, 77
 mobilense, 82
 mobrianum, 67
 molle, 86, 95
 molluscum, 76
 mucronatum, 67
 nemoreum, 30, 92
 angermanicum, 89
 subtile, 99
 nitidum, 98
 novofoundlandicum, 81
 obesum, 82
 obtusum, 62, 73, 74, 83
 oregonense, 79, 82
 orientale, 74, 79, 83
 orlandense, 81
 pacificum, 63, 64, 66, 68, 73,
 74, 81
 palustre, 49, 51, 52, 53, 84,
 92
 capillifolium, 91
 intermedium, 50
 papillosum, 49, 51, 52, 53,
 84, 89, 93, 94, 96
 laeve, 53
 sublaeve, 53
 parvifolium, 64
 pentastichon, 75
 perfoliatum, 74, 79, 83
 perichaetiale, 49, 54, 80
 platyphyllum, 78, 80, 82, 83,
 84, 90
plicatum, 81
plumulosum
 flavicomans, 93
 portoricense, 37, 48, 54, 80
pseudomolle, 95
pulchricoma, 75
 pulchrum, 63, 66, 72, 74, 75,
 84, 89, 93
 pylaesii, 79, 80, 84
 austinii, 84
 prostratum, 84
 ramosum, 84
 quinquefarium, 87, 90, 96,
 97, 100
 recurvum, 19, 63, 64, 66, 68,
 73, 75, 96
 amblyphyllum, 68
 angustifolium, 64
 balticum, 65
 brevifolium, 67
 fallax, 67
 mucronatum, 67
 parvifolium, 64
 tenue, 64
rigidum, 56
riparioides, 75
 riparium, 62, 75
 rubellum, 81, 83, 88, 89, 90,
 92, 93, 96, 99, 100
 rubiginosum, 86, 94, 96, 97
 rubroflexuosum, 62, 64, 76
rufescens, 82
 russowii, 85, 86, 87, 92, 94,
 96, 97, 101
schofieldii, 96
sedoides, 84
 austinii, 84
 prostratum, 84
serratum, 77
 sitchense, 87, 93, 98
 splendens, 47, 62, 64, 66, 67,
 76
 squarrosum, 57, 58, 59, 83,
 85, 97, 101
 imbricatum, 59
 teres, 59
 steerei, 48, 52, 54, 55
 strictum, 37, 56, 57, 59
subbicolor, 50
 subfulvum, 87, 89, 90, 91, 93,
 95, 98, 99
 subnitens, 87, 88, 91, 92, 95,
 98, 99
 flavicomans, 93
 obscurum, 93
 viride, 93
 subsecundum, 79, 80, 81, 82,
 83, 84, 90
 andrusii, 80
 carolinianum, 79
 inundatum, 81
 junsaiense, 80
 platyphyllum, 83
 subtile, 87, 92, 97, 99, 100
sullivantianum, 54
tabulare, 95
 talbotianum, 83, 88, 96, 99,
 100, 101
 tenellum, 62, 76, 81, 84, 96
 tenerum, 80, 88, 92, 95, 100,
 101
 virginicum, 100
tenuifolium, 94
 teres, 37, 58, 59, 84, 92, 94,
 98, 101
 concinnum, 92
 squarrosulum, 59
 torreyanum, 63, 65, 72, 77,
 93
 trinitense, 63, 73, 77
 tundrae, 55, 58, 60
turgidulum, 82
vancouveriense, 94
virginianum, 66
 viride, 64, 65, 67, 72, 73, 77,
 78
wagbornei, 53
warnstorffianum, 101
 warnstorffii, 80, 87, 90, 92,
 94, 97, 98, 100, 101
wieboldtii, 81
 wilfii, 88, 90, 101
 wulfianum, 85
 Spies, T. A., 15
Spiraea, 73
 Spjut, R. W., 39
 Splachnaceae, 11, 116, 643
 Splachnales, 116
 Splachnobryaceae, 643
 Splachnobryum, 643, 644, 645
 bernoullii, 644
 obtusum, 644, 645
Splachnum, 10
Sporledera, 461
 palustris, 461
 Spribille, T., 250
 St. Clair, L. L., 22
Staphylococcus
 aureus, 37, 38
 Stark, L. R., 232, 490
 Stark, R. M., 32
 Stech, M., 383
 Steen, A. J., 485
 Steere, W. C., 151, 160, 220,
 260, 262, 346, 356, 377,
 380, 381, 465, 491, 509,
 532, 540, 549, 552, 559,
 569, 599, 600
 Stefan, M. B., 17
 Stegonia, 480, 599, 600, 603,
 604
 hyalinotricha, 604, 605
 latifolia, 604, 632
 latifolia, 604, 605
 pilifera, 604, 605
 pilifera, 605
 Stewart, J. M., 21
 Stilinovic, B., 38
 Stone, I. G., 471, 638
 Stoneburner, A., 490, 513, 514,
 518
Streblotrichum, 529
Streptocolea, 205
 Stubbs, J., 25
 Studlar, S. M., 15
 Sugawa, S., 39
 Sukhanov, M. A., 29
 Sullivant, W. S., 652
 Summerling, T. J., 20
 Summerton, J., 27
 Suzuki, T., 340, 343
 Sveinbjornsson, B., 15
 Svensson, G. K., 20
 Symblypharis, 360, 430, 431
 helicophylla, 431
 vaginata, 431, 432
 Syntrichia, 480, 570, 587, 600,
 603, 618, 628
 ammonsiana, 618, 621, 623
 amphidiacea, 618, 619, 620
 amplexa, 530, 602
 bartramii, 619, 621, 622
 bolanderi, 602
 caninii, 618, 620
 caninervis, 619, 625, 626
 chisosa, 618, 621, 622, 623
 fragilis, 619, 620, 621, 622,
 623
 inermis, 600
 intermedia, 624
 laevipila, 619, 621
 latifolia, 599, 619, 620
 montana, 619, 622, 624
 norvegica, 619, 620, 625,
 626, 627
 obtusissima, 619, 624, 625,
 627
 pagorum, 620, 621
 papillosa, 619, 620, 621
 papillosissima, 619, 625, 626,
 627
 princeps, 619, 624, 625, 627
 rupicola, 624
 ruraliformis, 627
 ruralis, 40, 619, 624, 625,
 626, 627
 arenicola, 19
 crinita, 624
 sinensis, 619, 623
 subulata
 inermis, 600
 Syrratt, W. J., 17
 Syrrhopodon, 655
 crispus, 657
 excelsus, 576
 filigerus, 658
 floridanus, 658
 gaudichaudii, 656, 657
 incompletus, 656, 658, 659
 incompletus, 658
 leanus, 366
 ligulatus, 656, 657, 658
 parasiticus, 656, 658
 prolifer, 656, 657
 scaber, 657
 rauei, 424
 scaber, 657
 texanus, 656, 657
 Takagi, G., 40
 Takaki, N., 20, 30
 Takakia, 3, 4, 7, 9, 11, 42, 43,
 108
 ceratophylla, 43, 44

- Takakia (*continued*)
 lepidozoides, 43, 44
 Takakiaceae, 42
 Takakiopsida, 4
 Tamblyn, S. E., 35
 Tamm, K., 17
 Tan, B. C., 21, 29, 31, 385, 570, 572, 632
 Tang, C., 40
 Tanjore, S., 21
 Taoda, H., 16, 17
Taxiphyllum
barbieri, 30
Taxodium, 344, 462
Taxus, 334
 Taylor, A., 14
 Taylor, J. A., 20, 26, 27
Tayloria, 188
Terrestria
incurvifolium, 442
Tetracoscinodon, 486
 Tetraphidaceae, 111, 116
 Tetraphidopsida, 12
Tetraphis, 4, 9, 111, 116
browniana, 114
brownianum
repandum, 113
cuspidata, 112
geniculata, 110, 112, 113
ovata, 115
pellucida, 110, 112, 113
pellucida, 110, 112
trachypoda, 110, 112, 113
repanda, 113
rigida, 115
 Tetrodontium, 111, 113
brownianum, 113, 114
brownianum, 114
ovatum, 114, 115
ovatum, 115
repandum, 113, 114
 Tewari, S. D., 29, 32, 33, 34, 36, 37, 40
Thamnobryum
alopecurum, 23
Theriotia, 162
 Thieret, J. S., 27
 Thieret, J. W., 21, 27, 29, 30, 33
 Thomas, D. C., 39
 Thomas, W., 18
 Thomason, J. H., 21
 Thuidiaceae, 39
Thuidium, 25, 29, 30, 33
delicatulum, 21, 29
kanedae, 29
tamariscellum, 34
tamariscinum, 33
Thuja, 59, 418, 424
occidentalis, 101
Thysanomitrium
uncinatum, 394
 Tilling, A. J., 29
 Timmer, V. R., 21
 Timmia, 165, 166, 169
 sect. *Norvegicae*, 166
 sect. *Timmia*, 166
 sect. *Timmiaurea*, 166
arctica, 166
austriaca, 166, 168
arctica, 166
brevifolia, 166
papillosa, 166
bavarica, 168
comata, 169
cucullata, 167
megapolitana, 166, 167, 168
bavarica, 167, 168
megapolitana, 167, 168
norvegica, 166, 168, 169
comata, 169
crassiretis, 169
excurrens, 168, 169
norvegica, 168, 169
sibirica, 166, 167, 168, 169
 Timmiaceae, 165, 624
Timmiella, 38, 477, 481, 482
anomala, 482
crassinervis, 482, 483
diminuta, 482
flexisetata, 482
vancouveriensis, 482
subanomala, 482
vancouveriensis, 482
 Timmielloideae, 477, 481
 Ting, H. S., 35, 37
Tisserantiella, 468
Tomentypnum, 5
 Tortella, 378, 478, 488, 489, 496, 497, 498, 499, 501, 502, 503, 514, 642
alpicola, 500, 502, 503, 509, 511
arctica, 505
caespitosa, 501
densa, 509
flavovirens, 15, 499, 500, 501, 502, 503
glareicola, 502
fragilis, 500, 503, 505, 506, 507, 508, 509, 511
tortelloides, 502
humilis, 490, 500, 501, 502, 503, 509, 580
inclinata, 500, 503, 505, 508, 509
densa, 507, 509
inclinata, 509, 511
inclinatula, 509
mollissima, 511
nitida, 506, 511
rigens, 500, 505, 506, 508, 509, 510, 511
tortelloides, 502
tortuosa, 500, 502, 503, 504, 505, 506, 509, 511
arctica, 492, 501, 504, 505, 506
fragilifolia, 503, 504, 506, 507, 508, 511
tortuosa, 504, 505, 506
Tortellae, 503
Tortula, 33, 265, 480, 485, 586, 587, 597, 608, 618, 638, 640
 sect. *Plaubelia*, 581
acaulon, 587, 589, 592, 593, 595, 604, 631
pilifera, 595
schreberiana, 595
aloides, 616
ammonsiana, 623
amphidiacea, 619
amplexa, 587, 588, 590, 602, 603
amplexifolia, 533
atherodes, 595
polifera, 595
schreberiana, 595
atrovirens, 555, 571, 588, 589, 590, 592, 597, 602
aurea, 570
australasiae, 547
bartramii, 621
bifrons, 615
bistratosa, 625
bolanderi, 587, 588, 590, 602, 603
brevipes, 589, 590, 595, 596
brevirostris, 616
cainii, 620
californica, 588, 590, 593, 594
caninervis, 625
caroliniana, 619
cernua, 587, 589, 590, 593, 599, 601, 602
chisosa, 622
crassinervia, 613
cuneifolia, 588, 590, 591
blissii, 591, 592
deciduidentata, 588, 590, 591, 592
eucalyptrata, 598
euryphylla, 598
fragilis, 623
gracilis, 545
gregaria, 533
guepinii, 589, 590, 599
hoppeana, 588, 589, 590, 598, 599, 600
inclinata, 508
indica, 532
inermis, 588, 590, 600, 602
intermedia, 624
jamaicensis, 514
laevipila
meridionalis, 621
lamellata, 607
lanceola, 589, 592, 593
lanceolata, 592
latifolia, 599, 620
laureri, 587, 590, 599, 601
leucostoma, 589, 590, 599
modica, 588, 589, 597, 598
mucronifolia, 587, 588, 590, 600, 601
muralis, 589, 590, 595, 596
nevadensis, 588, 589, 594
norvegica, 626
obtusifolia, 525, 588, 589, 590, 596, 597, 599, 602, 636
obtusissima, 624
pagorum, 621
papillosa, 620
papillosissima, 626
plinthobia, 589, 590, 596, 599
porteri, 588, 590, 596, 597
princeps, 624
propagulosa, 469
protobryoides, 587, 589, 592, 593, 629
randii, 601
recurvifolia, 558
rhizophylla, 634
ruraliformis, 627
ruralis, 627
crinita, 624
hirsuta, 626
schimperii, 600
scotteri, 632
sinensis, 623
spiralis, 571
squamifera, 613
pottioidea, 614
stanfordensis, 636
suberecta, 599
subnigra, 573
subulata, 587, 590, 600, 601
angustata, 600
systylia, 588, 590, 599, 600
tortuosa, 504
truncata, 588, 589, 598
vectensis, 634
velenovskyi, 632
williamsii, 485
wilsonii, 603, 607
 Touw, A., 471, 473
Trachycystis
microphylla, 22
Trachypodopsis, 32
crispatula, 29, 34
 Trematodon, 15, 433, 434, 437
acicularis, 439
ambiguus, 437, 438, 439
longicollis, 438, 439
boasii, 437, 438
brevicollis, 437, 439
laetevirens, 437, 439
longicollis, 436, 437, 438
montanus, 437, 438
 Trichodon, 443, 444, 459, 467
cyllindricus, 459, 460
cyllindricus, 459, 460
oblongus, 459, 460
oblongus, 460
 Trichostomoideae, 477, 485, 489
Trichostomopsis, 539
australasiae, 547
brevifolia, 547
crispifolia, 547
diaphanobasis, 547
fayae, 547
umbrosa, 547
 Trichostomum, 378, 478, 486, 488, 489, 499, 501, 502, 512, 516, 518, 577
 sect. *Leptodontium*, 574
 sect. *Racomitrium*, 293
 sect. *Stenotrichum*, 296
 sect. *Timmiella*, 481

- subg. *Crispuliformes*, 488
subg. *Oxystegus*, 488
aciculare, 297
affine, 274
aloides, 616
alpinum, 396
arcticum, 489, 492
brachydontium, 489, 490,
515, 518
brittonianum, 494, 518
canadense, 271
canescens, 287
[unranked] *ericoides*, 291
conicum, 447
crassinerve, 482
crispulum, 489, 490, 493,
494, 502, 512, 514, 516,
518, 568
cuspidatissimum, 492
cylindricum, 459, 491
ericoides, 291
fasciculare, 303
flavovirens, 502
funale, 251
glaucescens, 458
heterostichum, 274
hoppeanum, 598
jamaicense, 514
lanuginosum, 294
laurei, 601
luteolum, 498
microcarpon, 271
molariforme, 492
mollissimum, 491
mutabile, 489
pallidum, 455
perligulatum, 490
planifolium, 487, 489, 490,
515
portoricense, 489, 492
pulvinatum
alpestre, 234
recurvifolium, 489, 491, 492
spirale, 489, 491, 501
stenocarpum, 365
subanomala, 482
subdenticulatum, 494
sudeticum, 284
sulphureum, 576
svihlae, 495
tenuae, 455
tenuirostre, 489, 490, 491,
492, 496, 505, 511, 516,
552, 553, 556
gemmiparum, 490, 491
holtii, 491, 492
tenuirostre, 490, 491, 492
tophaceum, 560
tortile, 455
vaginans, 454
- Tripp, F., 32
Triquetrella, 479, 580, 581
californica, 557, 580, 581
Trocholejeunea
sandvicensis, 17
Tuerckheimia, 477, 492, 494,
565
angustifolia, 495
calculosa, 494
svihlae, 495, 496
Tuomikoski, R. K., 404
Tyler, G., 19
- Ukrainitseva, V. V., 39
Uleastrum, 468
Usher, M. B., 22
- Vaccinium*
oxycoccus, 83
van Geel, B., 15
van Hoof, L., 38
van Tooren, B. F., 22
van Zanten, B. O., 30, 31
Varley, S. J., 35
Venturiella, 471, 473
sinensis, 17, 474
angusti-annulata, 474
- Vesicularia*
dubyana, 30
ferriei, 30
Virarghavan, T., 21
Vital, D. M., 471
Vitikainen, O., 248
Vitt, D. H., 3, 13, 30, 46, 99,
236, 241, 306, 320, 327,
374, 440, 592
- Walkington, D. L., 38
Wanstall, P. J., 17
Wareham, R. T., 608, 609, 636
Warnstorf, C., 155
Warnstorfia
fluitans, 20
Weber, G. F., 407
Weber, K., 37
Weber, W. A., 245, 411, 425,
511, 547, 571
Weckert, V., 19
Weisiopsis
stenocarpum, 491
Weissia, 15, 309, 478, 489, 490,
493, 499, 502, 512, 513,
516, 518, 587
sect. *Astomum*, 512
sect. *Scopelophila*, 483
subg. *Astomum*, 512
subg. *Hymenostomum*, 512
acuta, 327
andersoniana, 490, 515
andrewsii, 514
- brachycarpa, 513, 515, 516,
517
brandegeei, 514
calcareo, 322
capillacea, 455
cataractae, 485
cirrata, 396
compacta, 396
condensa, 514, 515, 518
controversa, 25, 309, 493,
513, 514, 515, 516, 517,
518
australis, 514
longiseta, 514
wolffii, 514
crispula, 396, 493
curvicaulis, 514
euteiches, 518
flavescens, 494, 518
glauca, 515
heteromalla, 453
incurva, 309
inoperculata, 490, 513, 515,
517, 518
jamaicensis, 493, 499, 512,
513, 514, 642
latifolia, 604
ligulifolia, 490, 513, 515
longipes, 361
longiseta, 514
ludoviciana, 513, 516, 517
martiana, 425
microodonta, 514
microstoma, 515
muhlenbergiana, 513, 516,
517
obtusa, 644
occidentalis, 510, 513, 515
inoperculata, 490
perligulata, 490
phascopsis, 513, 516, 517
planifolia, 490
pusilla, 324
recurvirostra, 568
insignis, 579
rostellata
phascoides, 516
rutilans, 516
sharpii, 493, 513, 514, 515,
518
starckeana, 628
sweetii, 490
tenuirostris, 490
tortilis, 518
verticillata, 487
viridula, 514
nitida, 514
wimmeriana, 518
wolffii, 514
Welch, W. H., 15, 30, 330
- Werner, J., 385
Werner, O., 482
Westing, A. H., 22
Whitehead, N. E., 20
Whitehouse, E., 391
Whitehouse, H. L. K., 390, 602,
636
Whiteside, K., 23
Whitner, J. K., 24
Wigner, J., 15
Wiegner, N., 38
Wiencke, C., 10
Wiesnerella
denudata, 38
Widdia, 471
solmsiellacea, 474
Wilkes, J. C., 390
Williams, C., 516, 517,
598
Williams, D., 34
Williams, R. S., 387, 393, 413,
427
Wilson, S. J., 19
Winkler, S., 17, 18
Winner, W. E., 17, 18
Witthauer, J., 38
Worley, I. A., 390, 393, 406,
418, 439
Wu, P. C., 37, 40
Wujek, D. E., 343
Wyatt, R., 137, 490
- Yepsen, R. B., 26
Yip, K. L., 460, 463, 467
- Zander, R. H., 102, 361, 429,
433, 476, 477, 481, 482,
483, 484, 485, 486, 488,
489, 491, 492, 493, 494,
495, 497, 499, 511, 512,
513, 518, 520, 522, 523,
527, 528, 530, 532, 533,
534, 537, 539, 540, 543,
547, 548, 554, 555, 556,
561, 563, 564, 565, 566,
567, 569, 570, 572, 573,
574, 575, 576, 578, 579,
580, 581, 582, 584, 586,
587, 592, 598, 603, 605,
606, 607, 609, 610, 627,
631, 633, 635, 637, 638,
639, 640, 642
- Zandera*, 468
Zhao, J., 632
Zimmerman, M. R., 35
Zygodon, 9, 521
gracilis
americanum, 575
perpusillus, 469
sullivantii, 576